



QK  
346  
56  
W66p



PL  
101  
Afr  
W





PRELIMINARY

CATALOGUE

OF

INDIGENOUS


**NATAL PLANTS**

BY

J. MEDLEY WOOD, A.L.S.,

Corresponding Member of the Pharmaceutical Society of  
Great Britain,

CURATOR OF NATAL BOTANIC GARDENS,  
DURBAN.



"NATAL MERCURY" STEAM PRINTING WORKS,  
1894.



HERBARIUM  
OF  
DR. C. F. MILLSPAUGH.

PRELIMINARY  
CATALOGUE  
OF  
INDIGENOUS  
NATAL PLANTS

BY

J. Medley Wood, A.L.S.,

*Corresponding Member of the Pharmaceutical Society of  
Great Britain,*

CURATOR OF NATAL BOTANIC GARDENS, DURBAN.

24949

FRED

MUSEUM

"NATAL MERCURY" STEAM PRINTING WORKS,

DURBAN, NATAL,

1894.

OK  
396  
.56  
W66p

1977  
MUSEUM

## P R E F A C E

---

**T**HIS Catalogue is intended merely as a preliminary one. No list of Natal plants has yet been published in a separate form, and those wishing for information as to our indigenous flora can only obtain it from the pages of the "Flora Capensis" or other scientific works which are not accessible to the general public. The "Flora Capensis," moreover, is still incomplete, the last published volume ending with the Order Campanulaceæ, and it will be seen, that even within the range of the three volumes published, the present list includes species and genera not to be found in that work.

It is hoped that by the publication of this Catalogue (which is necessarily very imperfect) information may be elicited; new species, or species not at present known to be indigenous, may be added, and the habitats of the different plants more fully recorded, so that at no remote period a fuller and more correct list may be compiled, and information added which it has been found impracticable to include in the present one.

It will be noticed that a large number of plants in this list are without any indication of the locality in which they have been found. The reason for this is that many collectors have been content to give the locality as simply Natal, or to add the name of some river, such as Umzimkulu, Tugela, &c., &c.; but as these rivers run their course from the Berg to the sea, it is impossible to form any idea of the elevation at which the plants have been collected. The few specimens of Gerrard's collections, which are in the Government Herbarium, and also Rev. J. Buchanan's collections of GRAMINEÆ and CYPERACEÆ are all without any indication of the habitat of the plants. In a future list I hope the habitats may be much more fully recorded.

Those species whose names are printed in italics are certainly not really indigenous, and it is very probable that many more may be added to the list.

It must not be supposed that all those plants to which no specific name is attached are necessarily new or undescribed. Some few no doubt are so, while others are, very probably, known species, but in consequence of the specimens not being sufficiently perfect they cannot be certainly identified, while others again are doubtless mere varieties of plants already well known.

The capital letters following the name of the plant give an indication, though

perhaps a very rough one, of the heights above the sea at which the plants have been observed or collected, as under :—

A	...	0 to 1000 feet.	D	...	3000 to 4000 feet.
B	...	1000 to 2000 feet.	E	...	4000 to 5500 feet.
C	...	2000 to 3000 feet.	Z	...	Zululand.

The sequence of Orders and Genera is that followed in Hooker and Bentham's "Genera Plantarum." The numbers attached to the Genera are arbitrary, and are only intended for the purpose of indexing, while the species are alphabetically arranged. Any information as to plants not included in this list, or, in fact, information of any kind about our indigenous flora will be gladly received, acknowledged, and recorded.

The following plants have either been named, or the names have come to my knowledge, since this list was put into the printer's hands :—

- Page 9. Genus No. 110. VITIS =J. M. Wood, 3593, is  
Cissus cussonioides, Schinz.
- Page 19. Genus No. 331. MATRICARIA =J. M. Wood, 3046, is  
M. zuurbergensis, Oliv.
- Page 24. Genus No. 432. BELMONTIA =J. M. Wood, 133, is  
B. natalensis, Schinz.
- Page 26. Genus No. 487. STREPTOCARPUS =Govt. Herbm., 3438, is  
S. Wendlandii, \*
- Page 27. Genus No. 510. SELAGO =J. M. Wood, 3485, is  
S. densiflora, Rolfe.

The following are not included in the list, having been either named or identified since its completion :—

Ceropegia caffrorum, Schltr.	A	Neobolusia Tysoni, Schltr.	D
Crassula heterotricha, Schinz.	B	Periglossum angustifolium, Dcne.	E
Cussonia chartacea, Schinz.	A	Satyrium cristatum, Sond.	D
Cyrtanthus O'Brieni, Baker	E	Schizoglossum brachyandrum,	
Eulophia æmula, Schltr.	D		Schltr. E
Euphorbia procumbens, Mill.	A	„ ciliatum, Schltr.	D
Gazania bracteata, N. E. B.	?	„ glanduliferum, Schltr.	D
Gomphocarpus cucullatus, Schltr.	E	„ verticillare, Schltr.	D
„ fragrans, Schltr.	D		

J. MEDLEY WOOD.

DURBAN, NATAL, .

July, 1894.



# CATALOGUE

OF THE

## INDIGENOUS PLANTS OF NATAL,

INCLUDING A FEW FROM ZULULAND.

### Ranunculaceæ.

- 1 **Clematis** Linn.  
*brachiata*, Thb. BC  
*glaucescens*, Fresen C  
*incisodentata*, A. Rich. C  
*Owenia*, Harv. B—Z
- 2 **Thalictrum** Linn.  
*rhynchocarpum*, D & R CD
- 3 **Anemone** Linn.  
*caffra*, E & Z B  
*Fanninia*, Harv. B—E
- 4 **Knowltonia** Salisb.  
*brevistylis*, Szysz. B  
*vesicatoria*, Sims B
- 5 **Ranunculus** Linn.  
*Baueri*, Macowan E  
*Cooperi*, Oliv. DE  
*Meyeri*, Harv. E  
*pinnatus*, Poir. A—E

### Anonaceæ.

- 6 **Uvaria** Linn.  
*caffra*, E. M. AB
- 7 **Artabotrys** R. Br.  
*Monteiroia*, Oliv. A
- 8 **Popowia** Endl.  
*caffra*, H. & S. AB
- 9 **Anona** Linn.  
*senegalensis*, Pers. B

### Menispermaceæ.

- 10 **Stephania** Lour.  
*hernandæfolia*, Walp. A—C

### 11 Cissampelos Linn.

- Burchelliana*, Miers. B  
*natalensis*, Szysz. A B  
*Pariera*, Linn. A B  
*torulosa*, E. M. A B

### Nympheaceæ.

- 12 **Nymphaea** Linn.  
*stellata*, Willd. A—D

### Papaveraceæ.

- 13 **Papaver** Linn.  
*gariense*, Burch. A—E
- 14 **Argemone** Linn.  
*mexicana*, Linn. A
- 15 **Fumaria** Linn.  
*officinalis*, Linn. A
- 16 **Corydalis** D. C.  
*pruinosa*, E. M. C

### Crucifereæ.

- 17 **Arabis** Linn.  
*perfoliata*, Lam. D
- 18 **Cardamine** Linn.  
*africana*, Linn. C
- 19 **Sisymbrium** Linn.  
*capense*, Thb. A  
 „ *var latifolium* A
- 20 **Heliophila** Linn.  
*linearis*, D. C. A  
*rigidiuscula*, Sond. A  
*scandens*, Harv. A  
*virgata*, Burch. AB  
*sp* (= J. M. Wood, 3097) A

- 21 *Brassica* Linn.  
strigosa, D. C. A
- 22 *Senebiera* Poir.  
didyma, Pers. A
- 23 *Lepidium* Linn.  
capense, Thb. A

### Capparideæ.

- 24 *Cleome* Linn.  
monophylla, Linn. B  
rubella, Burch. C  
sp (*Dianthera Petersiana*) ?
- 25 *Niebuhr* D. C.  
nervosa, Hochst A  
pedunculosa, Hochst AB  
rosmarinoides, Sond. A  
triphylla, Wendl. AB  
Woodii, Oliv. B  
sp (= J. M. Wood, 1024) A

- 26 *Maerua* Forsk.  
angolensis ?

- 27 *Cadaba* Forsk.  
natalensis, Sond. A

- 28 *Capparis* Forsk.  
citrifolia, Lam. A  
corymbifera, E. M. A  
Gucinzi, Sond. A  
Zeyheri, Turcz. A  
sp (= J. M. Wood, 4438) C

### Violarieæ.

- 29 *Ionidium* Vent.  
caffrum, Sond. A  
capense, R. & S. AB  
natalense, Harv. B

- 30 *Alsodeia* Thouars  
sp (= J. M. Wood, 1001) B—D

### Bixineæ.

- 31 *Oncoba* Forsk.  
Kraussiana, Planch AB  
spinosa, Forsk. A  
tettensis, Hk f. B

- 32 *Rawsonia* H. & S.  
lucida, Harv. AB

- 33 *Scolopia* Schreb.  
Ecklonii, Szysz A  
Gerrardi, Harv. B  
Mundtii, Arn. ?  
Zeyheri, Harv. E

- 34 *Xylosma* Forsk.  
monospora, Harv. B—E

- 35 *Dovyalis* E. M.  
rhamnoides, Burch & Harv. A

- 36 *Aberia* Hochst.  
caffra, Hk & Harv. ?  
longispina, Harv. A

- 37 *Trimeria* Harv.  
alnifolia, Planch AB

- 38 *Kiggelaria* Linn.  
africana, Linn. B  
Dregeana, Turcz. E

### Pittosporeæ.

- 39 *Pittosporum* Banks  
viridiflorum, Sims A

### Polygaleæ.

- 40 *Polygala* Linn.  
capillaris, E. M. A  
confusa, Macowan A  
hottentotta, Presl. A—E  
myrtifolia, Linn. A  
Ohlendorffiana, E. & Z. BD  
oppositifolia, Linn. AB  
persicariæfolia, D.C. C  
serpentaria, E. & Z. B  
tenuifolia, Link A—C  
virgata, Thb. A—E  
sp. (= J. M. Wood, 1394) B  
sp. (= " 1396) B  
sp. (= " 3481) C  
sp. (= " 3482) D

- 41 *Muraltia* Necker.  
lancifolia, Harv. BC  
pilosa, D. C. B  
" var C

### Caryophylleæ.

- 42 *Dianthus* Linn.  
prostratus, Jacq. AB

- 43 *Silene* Linn.  
Burchellii, Ott. B  
" var. latifolia, Sond. B  
Capensis, Ott. D  
gallica, Linn. A  
Thunbergiana, E. & Z. B

- 44 *Cerastium* Linn.  
Dregeanum, Fenzl BC

- 45 *Stellaria* Linn.  
media, Villars A

- 46 *Spergula* Linn.  
arvensis, L. B
- 47 *Drymaria* Willd.  
cordata, Willd. B
- 48 *Polycarpæa* Linn.  
corymbosa, Lam. B

**Portulacaceæ.**

- 49 *Portulaca*, Linn.  
oleracea, Linn. AB  
pilosa, Linn. ?
- 50 *Portulacaria*, Jacq.  
afra, Jacq. AB
- 51 *Talinum*, Adans.  
caffrum, E. & Z. AB

**Hypericineæ.**

- 52 *Hypericum*, Linn.  
aethiopicum A—D  
Lalandii, Choisy AB  
lanceolatum, Lam. B  
sp. (=J. M. Wood, 4034) D

**Guttifereæ.**

- 53 *Garcinia*, Linn.  
Gerrardi, Harv. B

**Malvaceæ.**

- 54 *Malvastrum*, A. Gray.  
capense, Gray & Harv. B
- 55 *Sida*, Linn.  
carpinifolia, Linn. A  
cordifolia, Linn. B  
longipes, E. M. B  
rhombifolia, Linn. AB  
spinosa, Linn. A  
triloba, Cav. AB
- 56 *Abutilon*, Gaert.  
indicum, G. Don A  
Sonneratianum, Cav. A
- 57 *Pavonia*, Cav.  
Kraussiana, Hochst. A  
macrophylla, E. M. AB  
microphylla, E. M. A  
mollis, E. M. B  
odorata, Willd. A  
urens, Cav. A

- 58 *Hibiscus*, Linn.  
aethiopicus, Linn. B  
atromarginatus, E. & Z. D  
calycinus, Willd. A  
cannabinus, Linn. AB  
diversifolius, Jacq. B  
furcatus, Roxb. A  
gossypinus, Thb. AB  
leiospermus, Harv. A  
leptocalyx, Sond. (G. & McK 1) ?  
malacospermus, E. M. C  
micranthus, Linn. C  
natalitius, Harv. B  
pedunculatus, Cav. AB  
physaloides, G. & P. A  
pusillus, Thb. BC  
ricinifolius, E. M. B  
surattensis, Linn. AB  
tiliaceus, Linn. A  
trionum, Linn. A—C  
" var. hastafolius B  
vitifolius, Harv. B  
sp. (J. M. Wood, 3455) D

- 59 *Fugosia*, Juss.  
Gerrardi, Harv. BC

**Sterculiaceæ.**

- 60 *Cola*, Schott.  
natalensis, Oliv. AB
- 61 *Dombeya*, Cav.  
Burgessicæ, Gerr. DE  
Dregeana, Sond. A  
natalensis, Sond. A—C  
rotundifolia, Harv. B
- 62 *Melhania*, Forsk.  
didyma, E. & Z. C  
prostrata, D. C. ?
- 63 *Hermannia*, Linn.  
cristata, Bolus DE  
Gerrardi, Harv. C  
Sandersoni, Harv. B
- 64 *Mahernia*, Linn.  
auricoma, Szysz. C  
bipinnata, Linn. ?  
chrysantha, Planch. DE  
cococarpa, E. & Z. DE  
erodioides, Burch. BC  
gracilis, Harv. Z  
grandistipula, Burch. C  
Macowani, Szysz. D  
ovalis, Harv. C  
parviflora, E. & Z. C  
veronicaefolia, E. & Z. D  
sp. (=J. M. Wood, 4245) E  
sp. (=J. M. Wood, 4623) D
- 65 *Waltheria*, Linn.  
indica, Linn. AB

**Tiliaceæ.**

- 66 Grewia, Linn.**  
 angolensis, Welw. C  
 caffra, Meisn. A—E  
 flava, D. C. C  
 hispida, Harv. CE  
 lasiocarpa, E. M. AB  
 megalocarpa, P. de B. CD  
 occidentalis, Linn. AB
- 67 Triumfetta, Linn.**  
 annua, Linn. A—C  
 effusa, E. M. A  
 pilosa, Roth. A  
 rhomboidea, Jacq. A  
 trichocarpa, Sond. Z  
 sp. (= Gerrard, 649) A
- 68 Sparmannia.**  
 palmata, E. M. B—C
- 69 Corchorus, Linn.**  
 asplenifolius, Burch. AB  
 trilocularis, Linn. A—C

**Lineæ.**

- 70 Linum, Linn.**  
 Thunbergii, E. & Z. B
- 71 Erythroxylon.**  
 emarginatum, Thonn. AB  
 monogynum, Roxb. B  
 pictum, E. M. B

**Malpighiaceæ.**

- 72 Acridocarpus Guill. & Per.**  
 natalitius, Juss. AB
- 73 Sphedamnocarpus, Planch.**  
 galphimicefolius A., Juss. A  
 pruriens A., Juss. AB

**Zygophylleæ.**

- 74 Tribulus, Linn.**  
 terrestris, Linn. B—D

**Geraniaceæ.**

- 75 Monsonia, Linn.**  
 attenuata, Harv. DE  
 ovata, Cav. B  
 „ var. biflora, Harv. A
- 76 Geranium, Linn.**  
 canescens, L'Herit DE  
 incanum, Burm. DE  
 ornithopodum, E. & Z. AB

**77 Pelargonium, L'Herit.**

- aconitifhyllum, E. & Z. B—E  
 alchemilloides, Willd. AB  
 capitatum, Ait. A  
 flabellifolium, Harv. BC  
 grossularoides, Ait. A  
 inquinans, Ait. E  
 pulverulentum, Colv. B  
 sp. (= J. M. Wood, 1836) C  
 „ ( „ 4492) C

**78 Oxalis, Linn.**

- bifurca, Lodd. ?  
 convexula, Jacq. ?  
 corniculata, Linn. AB  
 pulchella, Jacq. C  
 semiloba, Sond. B  
 var. fl. pleno, J. M. W., 550 C  
 setosa, E. M. ?  
 Smithiana, Sond. E

**79 Impatiens, Linn.**

- capensis, Thb. A—E

**Rutaceæ.**

- 80 Calodendron, Thb.**  
 capense, Thb. AB
- 81 Barosma, Willd.**  
 lanceolata, Sond. B
- 82 Toddalia, Juss.**  
 lanceolata, Lam. A  
 natalensis, Sond. A
- 83 Clausena, Burm.**  
 inaequalis, Bth. A—D
- 84 Zanthoxylum, Linn.**  
 capense, Harv. AB  
 Thunbergii, D. C. A

**Ochnaceæ.**

- 85 Ochna Schreber.**  
 arborea, Burch. B  
 atropurpurea, D. C. AB  
 „ var. natalitia, Harv. AB

**Burseraceæ.**

- 86 Protium, W. & A.**  
 africanum, Harv. AB
- 87 Commiphora, Jacq.**  
 caryaefolia, Oliv. AB

**Meliaceæ.**

- 88 Turraea, Linn.**  
 heterophylla, Smith AB  
 obtusifolia, Hochst. AB

- 89 *Melia*, Linn.  
*azedarach*, Linn. AB
- 90 *Ekebergia*, Sparm.  
*capensis*, D.C. B  
*Meyeri*, Presl. AB
- 91 *Trichilia*, Linn.  
*Dregeana*, E. M. ?  
 var. *oblonga* ?  
*Ekebergia*, E. M. ?  
*emetica*, Vahl. A  
*natalensis*, Sond. ?  
 (n. sp.=J. M. Wood, 1043) AB

### Olacineæ.

- 92 *Ximenia*, Linn.  
*caffra*, Sond. A—C
- 93 *Apodytes*, E. M.  
*dimidiata*, E. M. AB
- 94 *Pyrenacantha*, Hook.  
*scandens*, Planch. A
- 95 *Cassinopsis*, Sond.  
*capensis*, Sond. ?  
*tinifolia*, Harv. B

### Ilicineæ.

- 96 *Ilex*, Linn.  
*capensis*, Harv. & Sond. E

### Celastrineæ.

- 97 *Cathastrum*, Turcz.  
*capense*, Turcz. E
- 98 *Cassine*, Linn.  
*albanensis*, Sond. ?  
*capensis*, Linn. B
- 99 *Celastrus*, Linn.  
*accuminatus*, Linn. BC  
*angularis*, Sond. AB  
*buxifolius*, Linn. AB  
*laurinus*, Thb. ?  
*nemorosus*, E. & Z. ?  
*peduncularis*, Sond. AB  
*polyacanthos*, Sond. ?  
*procumbens*, Linn. A  
*Rehmanni*, Szysz. C  
*ruber*, Harv. B  
*undatus*, Thb. D  
*Woodii*, Szysz. B
- 100 *Pterocelastrus*, Meisn.  
 sp. (=J. M. Wood, 1292) B
- 101 *Putterlickia*, Endl.  
*verrucosa*, E. M. AB

- 102 *Elaeodendron*, Jacq.  
*capense*, E. & Z. AB  
*celastroides*, Harv. Z  
*croceum*, D. C. E  
*laurifolium*, Harv. A  
*velutinum*, Harv. AB  
 sp. (=J. M. Wood, 212) B
- 103 *Salacia*, Linn.  
*Gerrardi*, Harv. ?  
*Kraussii*, Hochst. A

### Rhamneæ.

- 104 *Zisypus*, Juss.  
*mucronata*, Willd. AB  
 „ var. *glabrata* BC  
 „ var. *pubescens* C
- 105 *Rhamnus*, Linn.  
*natalensis* ?  
*prinoides*, L'Herit CD
- 106 *Scutia*, Comm.  
*Commersoni*, Brogn. A
- 107 *Phylica*, Linn.  
*oleoides*, D. C. ?  
*paniculata*, Willd. AB
- 108 *Noltea*, Reich.  
*africana*, Reich. ?
- 109 *Helinus*, E. M.  
*ovata*, E. M. A—E

### Ampelideæ.

- 110 *Vitis*, Linn.  
*bigemina* ?  
*capensis*, Thb. B  
 „ var. *Dregeana* AB  
*cirrhusa*, Thb. A—D  
*cuneifolia* A—D  
*fragilis*, E. M. AB  
*gracilis* Z  
*humilis*, N. E. B. D  
*hypoleuca*, Harv. A  
*lanigera*, Harv. A  
*natalitia*, Szysz. BC  
*orientalis* A  
*rhomboidea* A—C  
*semiglabra* ?  
*tetragona*, Harv. ?  
*Thunbergii*, E & Z. A—D  
 sp. (=J. M. Wood, 3593) D  
 sp. (=J. M. Wood, 3478) D  
 sp. (=J. M. Wood, 3480) D

### Sapindaceæ.

- 111 *Cardiospermum*, Linn.  
*halicacabum*, Linn. B

- 112 *Schmidelia*, Linn.  
*Dregeana*, Sond. C  
*melanocarpa*, Arn. AB  
*natalensis*, Sond. A  
*Rehmanniana*, Szysz. A
- 113 *Hippobromus*, E. & Z.  
*alatus*, E & Z A—D
- 114 *Sapindus*, Linn.  
*capensis*, Hochst. A
- 115 *Dodonæa*, Linn.  
*viscosa*, Linn. A
- 116 *Pteroxylon*, E. & Z.  
*utile*, E & Z. D
- 117 *Melianthus*, Linn.  
*n. sp.* (J. M. Wood, 4376) E
- 118 *Bersama*, Fresen  
*lucens*, Szysz. B
- 119 *Greyia*, Hook & Harv.  
*Sutherlandi*, H. & H. C—E

### Anacardiaceæ.

- 120 *Rhus*, Linn.  
*crenata*, Thb. B  
*dentata*, Thb. BC  
*discolor*, E. M. D  
*excisa*, Thb. DE  
*Gerrardi*, Harv. D  
*grandifolia*, Engl. B  
*Gueinzii*, Sond. ?  
*laevigata*, Linn. AB  
*longifolia*, Sond. AB  
*lucida*, Linn. B  
*natalensis*, Bernh. A  
*obovata*, Sond. B  
*parvifolia*, Harv. B  
*puberula*, E. & Z. C  
*pyroides*, Burch. ?  
*refracta*, E. & Z. DE  
*Rehmanniana*, Szysz. D  
*tridentata*, Sond. B  
*villosa*, Lf. B  
 „ *var. gracilis*, Engl. C—E  
*viminalis*, Vahl. D  
*Zeyheri*, Sond. D  
*sp.* (—J. M. Wood, 742) B  
 „ ( „ 3002) C  
 „ ( „ 3892) ?  
 „ ( „ 3908) A  
 „ ( „ 3932) E
- 121 *Loxostylis*, Spr.  
*alata*, Spr. A
- 122 *Smodingium*, E. M.  
*argutum*, Sond. B

- 123 *Odina*, Roxb.  
*edulis*, Sond. B  
*sp.* (*Harpophyllum caffrum*) A
- 124 *Sclerocarya*, Hochst.  
*caffra*, Sond. B

### Connaraceæ.

- 125 *Cnestis*, Juss.  
*natalensis*, Pl. & Sond. AB

### Leguminosæ.

- 126 *Podalyria*, Lam.  
*velutina*, Burch. C
- 127 *Rafnia*, Thb.  
*sp.* (—J. M. Wood, 3008) C
- 128 *Lotononis*, D. C.  
*calycina*, Bth. CD  
*carinata*, Bth. ?  
*corymbosa*, Bth. A—E  
*cytisoides*, Bth. BC  
*dichiloides*, Sond. A—C  
*eriantha*, Bth. C  
*foliosa*, Bolus DE  
*lanceolata*, Bth. ?  
*laxa*, E. & Z. D  
*sp.* (—J. M. Wood, 4516) E
- 129 *Lebeckia*, Thb.  
*macrantha*, Harv. Z
- 130 *Aspalathus*, Linn.  
*canescens*, ? Linn. C  
*criophylla*, ? Walp. C  
*sericantha*, E.M. B  
*spinosa*, Linn. A
- 131 *Buchenroedera*, E. & Z.  
*viminea*, Presl. B  
*sp.* (—J. M. Wood, 3988) Z  
*sp.* (— „ 4805) E
- 132 *Melolobium*, E. & Z.  
*alpinum*, E. & Z. D  
*cernuum*, E. & Z. D  
*decumbens*, Bth. C  
*obcordatum*, Harv. CD
- 133 *Dichilus*, D.C.  
*lebeckioides*, D.C. C
- 134 *Crotalaria*, Linn.  
*capensis*, Jacq. AB  
*distans*, Bth. C  
*globifera*, E.M. B  
*Grantiana*, Harv. B  
*lanceolata*, E.M. B  
*macrocarpa*, E.M. ?  
*natalitia*, Meisn. AB  
*Saltiana*, Andr. B  
*sp.* (—J. M. Wood, 385) C

**135 *Argyrolobium*, E. & Z.**

<i>Andrewsianum</i> , Steud.	A—C
"    var. <i>helvolum</i>	?
"    " <i>racemosum</i>	A
<i>ascendens</i> , Walp.	AB
<i>longifolium</i> , Walp.	B
<i>marginatum</i> , Bolus	B
<i>molle</i> , E. & Z.	?
<i>rupestre</i> , Walp.	BC
<i>Sandersoni</i> , Harv.	B
<i>speciosum</i> , E. & Z.	D
<i>stipulaceum</i> , E. & Z.	D
<i>Sutherlandi</i> , Harv.	C
<i>tuberosum</i> , E. & Z.	C—E
<i>uniflorum</i> , Harv.	B
sp. (=J. M. Wood, 861)	AB
sp. (=    "    3937)	D
sp. (=    "    4770)	E

**136 *Medicago*, Linn.**

<i>denticulata</i> , Willd.	D
<i>laciniata</i> , All.	D

**137 *Trifolium*, Linn.**

<i>africanum</i> , Ser.	B
<i>Burchellianum</i> , Ser.	AB

**138 *Lotus*, Linn.**

<i>discolor</i> , E. M.	AB
-------------------------	----

**139 *Psoralea*, Linn.**

<i>caffra</i> , E. & Z.	B
<i>pinnata</i> , Linn.	B
<i>polysticta</i> , Bth.	C

**140 *Indigofera*, Linn.**

<i>alternans</i> , D. C.	Z
<i>argyrea</i> , E. & Z.	Z
<i>cryptantha</i> , Bth.	A
<i>cylindrica</i> , D. C.	?
<i>daleoides</i> , Bth.	Z
<i>denudata</i> , Thb.	Z
<i>dimidiata</i> , Vogel	B
<i>Dregeana</i> , E. M.	A
<i>endecaphylla</i> , Jacq.	A
<i>eriocarpa</i> , E. M.	B
<i>fastigiata</i> , E. M.	B
<i>filipes</i> , Bth.	Z
<i>foliosa</i> , E. M.	D
<i>Gerrardiana</i> , Harv.	D
<i>grata</i> , E. M.	?
<i>hedyantha</i> , E. & Z.	D
<i>heterotricha</i> , D. C.	Z
<i>hilaris</i> , E. & Z.	A
<i>hirsuta</i> , Harv.	D
<i>micrantha</i> , E. M.	AB
<i>polycarpa</i> , Bth.	A
<i>rufescens</i> , E. M.	?
<i>sarmentosa</i> , Linn.	?
<i>teniussima</i> , E. M.	?
<i>tetragonoloba</i> , E. M.	B
<i>tristis</i> , E. M.	B
<i>velutina</i> , E. M.	A
<i>vestita</i> , Harv.	A

<i>viminea</i> , E. M.	B
<i>Zeyheri</i> , Spreng.	?
sp. (=J. M. Wood, 435)	B
sp. (=    "    872)	B
sp. (=    "    974)	B
sp. (=    "    1602)	B
sp. (=    "    3100)	B
sp. (=    "    3178)	C
sp. (=    "    3510)	E
sp. (=    "    3525)	D
sp. (=    "    3536)	D
sp. (=    "    3544)	D
sp. (=    "    3549)	D
sp. (=    "    3936)	D

**141 *Tephrosia*, Persoon.**

<i>aemula</i> , E. M.	?
<i>canescens</i> , E. M.	A
<i>capensis</i> , Pers.	A
<i>diffusa</i> , E. M.	C
<i>discolor</i> , E. M.	A
<i>elongata</i> , E. M.	B
<i>glomeruliflora</i> , Meisn.	?
<i>grandiflora</i> , Pers.	CZ
<i>Kraussiana</i> , Meisn.	AB
<i>longipes</i> , Meisn.	B
<i>macropoda</i> , E. M.	AB
sp. (=J. M. Wood, 289)	B
sp. (=    "    3021)	B
sp. (=    "    3101)	B

**142 *Millettia*, W. & A.**

<i>caffra</i> , Meisn.	AB
<i>Sutherlandi</i> , Harv.	A

**143 *Sesbania*, Persoon.**

<i>aculeata</i> , Pers.	AB
<i>punctata</i> , D. C.	A

**144 *Sutherlandia*, R. Br.**

<i>frutescens</i> , R. Br.	BC
----------------------------	----

**145 *Lessertia*, D. C.**

<i>perennans</i> , D. C.	AB
<i>tenuifolia</i> , E. M.	Z
sp. (=J. M. Wood, 3338, 3545)	D
sp. (=    "    1824)	B
sp. (=    "    4785)	E

**146 *Aeschynomene*, Linn.**

<i>erubescens</i> , E. M.	?
<i>micrantha</i> , D. C.	AB
<i>uniflora</i> , E. M.	AB

**147 *Smithia*, Ait.**

<i>sensitiva</i> , Ait.	BC
-------------------------	----

**148 *Arachis*, Linn.**

<i>hypogaea</i> , Linn.	Cult.
-------------------------	-------

**149 *Zornia*, Gmelin**

<i>tetraphylla</i> , Michx.	AB
-----------------------------	----

- |                                      |     |
|--------------------------------------|-----|
| <b>150 Desmodium, Desv.</b>          |     |
| Dregeanum, Bth.                      | AB  |
| gangeticum, D. C.                    | A   |
| hirtum, Guill. & Per.                | AB  |
| incanum, D. C.                       | A   |
| paleaceum, Guill. & Per.             | A   |
| scalpe, D. C.                        | A—C |
| <b>151 Pseudarthria, W. &amp; A.</b> |     |
| sp. (=Anarthrosyne robusta) B        | B   |
| <b>152 Alysicarpus, Necker</b>       |     |
| Wallachii, W. & A.                   | BC  |
| <b>153 Vicia, Linn.</b>              |     |
| sativa, Linn.                        | C   |
| <b>154 Abrus, Linn.</b>              |     |
| preicatorius, Linn.                  | A   |
| pulchellus, Wall.                    | BC  |
| <b>155 Dumasia, D. C.</b>            |     |
| villosa, D.C.                        | C   |
| <b>156 Glycine, Linn.</b>            |     |
| javanica, Linn                       | B   |
| <b>157 Teramnus, Swartz</b>          |     |
| labialis, Spreng                     | A   |
| <b>158 Erythrina, Linn.</b>          |     |
| caffra, Thb.                         | A—D |
| Humiana, Spreng                      | BC  |
| tomentosa, Buch-Ham.                 | BC  |
| Zeyheri, Harv.                       | D   |
| <b>159 Canavalia, Adams</b>          |     |
| bonariensis, Ldl.                    | A   |
| ensiformis, D.C.                     | BC  |
| obtusifolia, D.C.                    | A   |
| <b>160 Vigna, Savi.</b>              |     |
| angustifolia                         | B—E |
| Burchellii, Harv.                    | Z   |
| luteola, Bth.                        | A   |
| marginata, Bth.                      | AB  |
| retusa, Walp.                        | ?   |
| tenuis, E. M.                        | ?   |
| triloba, Walp.                       | Z   |
| vexillata, Bth.                      | BCD |
| <b>161 Voandzeia, Thouars.</b>       |     |
| subterranea, Thouars                 | B   |
| <b>162 Dolichos, Linn.</b>           |     |
| angustifolius, E. & Z.               | D   |
| biflorus, L.                         | B   |
| gibbosus, Thb.                       | D   |
| Lablab, Linn.                        | AB  |
| sp. (=J. M. Wood, 565)               | A   |
| sp. (= " 778)                        | A   |
| sp. (= " 3185)                       | A   |
| <b>163 Rhynchosia, Lour</b>          |     |
| adenodes, E. & Z.                    | A—C |
| bracteata                            | ?   |
| gibba, E. M.                         | B   |
| grandifolia, Harv.                   | ?   |
| hirsuta, E. & Z.                     | A   |
| orthodanum, Bth.                     | B   |
| quadrata, Harv.                      | A   |
| rotundifolia, Walp.                  | ?   |
| sigmoides, Bth.                      | B   |
| Totta, D. C.                         | B   |
| sp. (=J. M. Wood, 692)               | B   |
| sp. (= " 3143)                       | A   |
| sp. (= " 3522)                       | D   |
| sp. (= " 3530)                       | D   |
| sp. (= " 3532)                       | E   |
| sp. (= " 3987)                       | Z   |
| <b>164 Eriosema, D. C.</b>           |     |
| cajanoides, Bth.                     | B   |
| cordatum, E. M.                      | BC  |
| Kraussianum, Meisn.                  | CD  |
| parvifolium, E. M.                   | A   |
| salignum, E. M.                      | BC  |
| squarrosus, Walp.                    | B   |
| <b>165 Flemingia, Roxb.</b>          |     |
| congesta, Roxb.                      | B   |
| <b>166 Dalbergia, Linn.</b>          |     |
| armata, E. M.                        | AB  |
| obovata, E. M.                       | AB  |
| <b>167 Baphia, Afzel.</b>            |     |
| racemosa, Hochst.                    | AB  |
| <b>168 Calpurnia, E. M.</b>          |     |
| intrusa, E. M.                       | BC  |
| lasiogyne, E. M.                     | A   |
| villosa, Harv.                       | E   |
| n. sp. (=J. M. Wood, 4377)           | D   |
| <b>169 Sophora, Linn.</b>            |     |
| nitens, Bth.                         | ?   |
| <b>170 Hoffmanseggia, Cav.</b>       |     |
| Burchellii, Bth. & Hk.               | Z   |
| (=Melanosticta, Sandersoni) CD       | CD  |
| <b>171 Cassia, Linn.</b>             |     |
| comosa, Voq.                         | Z   |
| delagoensis, Harv.                   | ?   |
| mimosoides, L.                       | A—D |
| obovata, Collad.                     | A   |
| occidentalis, Linn.                  | A   |
| tomentosa, Linn.                     | A   |
| <b>172 Bauhinia, Linn.</b>           |     |
| natalensis, Oliv.                    | ?   |
| tomentosa, Linn.                     | A   |
| <b>173 Schotia, Jacq.</b>            |     |
| brachypetala, Sond.                  | AB  |



174 *Entada*, Adanson  
natalensis, Bth. AB  
scandens, Bth. ?

175 *Elephantorhiza*, Bth.  
Burchellii, Bth. A—E

176 *Dichrostachys*, D. C.  
nutans, Bth. A

177 *Acacia*, Willd.  
arabica, Willd., } A  
var. Kraussiana }  
caffra, Willd. B  
Gerrardi, Bth. A  
horrida, Willd. D  
hirtella, Willd. D  
Kraussiana, Meisn. A  
natalitia, E. M. ?  
pennata, Willd. D  
spinosa, E. M. ?  
sp. (=J. M. Wood, 730) B  
sp. (= " 3133) D  
sp. (= " 3528) C

178 *Albizzia*, Durazzini  
fastigiata, Oliv. A

**Rosaceæ.**

179 *Rubus*, Linn.  
Ludwigii, E. & Z. BC  
rigidus, Smith A—D

180 *Geum*, Linn.  
capense, Thb. D

181 *Alchemilla*, Linn.  
capensis, Thb. BC  
sp. (=J. M. Wood, 4518) E

182 *Leucosidea*, E. & Z.  
sericea, E. & Z. BE

183 *Agrimonia*, Linn.  
Eupatoria, Linn., } B—D  
var. capensis, Harv. }

184 *Cliffortia*, Linn.  
linearifolia, E. & Z. ?  
octandra, Cham. B  
strobilifera, Linn. B

**Saxifrageæ.**

185 *Choristylis*, Harv.  
rhamnoides, Harv. CD

186 *Cunonia*, Linn.  
capensis, Linn. BC

**Crassulaceæ.**

187 *Tillaea*, Linn.  
inane, E & Z E  
subulata ?

188 *Crassula*, Linn.  
brachypetala, E.M. B  
centauroides, Linn. B  
cordata, Ait. B  
Dregeana, Harv. ?  
ericoides, Harv. C  
expansa, Ait. AB  
falcata, Wendl. ?  
lactea, Ait. B  
Meyeri, Harv. ?  
muscosa, Linn. B  
pallida, Baker B  
perforata, Linn. B  
quadrifolia, Baker B  
recurva, N.E.B. Z  
rosularis, Harv. ?  
rubicunda E.M. A—C  
sarcocaulis, E.Z. B  
sarmentosa, Harv. ?  
vaginata, E. & Z. B  
sp. (=J. M. Wood, 554) B  
sp. (= " 600) B  
sp. (= " 977) B  
sp. (= " 1840) C  
sp. (= " 1875) B  
sp. (= " 1876) B  
sp. (= " 3054) B  
sp. (= " 3142) B

189 *Kalanchoe*, Adans.  
crenata, Harv. B  
hirta, Harv. B  
rotundifolia, Harv. AB  
thyrsiflora, Harv. BC

190 *Cotyledon*, Linn.  
orbiculata, Linn. B

**Droseraceæ.**

191 *Drosera*, Linn.  
Burkeana, Planch AB  
" var., J.M.W. 1037 B  
ramentacea, Burch A

**Hamamelideæ.**

192 *Trichocladus*, Pers.  
crinitus, Pers. BCZ

**Bruniaceæ.**

193 *Raspalia*, Brong.  
sp. (=J. M. Wood, 3029) B

**Haloragææ.**

- 194 *Serpicula*, Linn.  
repens, Linn. A
- 195 *Gunnera*, Linn.  
perpensa, Linn. A—E
- 196 *Myriophyllum*, Linn.  
spicatum, Linn. D

**Rhizophoreæ.**

- 197 *Rhizophora*, Linn.  
mucronata, Lam. A
- 198 *Bruguiera*, Lam.  
gymnorhiza, Lam. A
- 199 *Weihea*, Spr.  
sp. (=J. M. Wood, 684) B
- 200 *Cassipourea*, Aubl.  
verticillata, N.E.B. A

**Combretaceæ.**

- 201 *Combretum*, Linn.  
apiculatum, Sond. D  
erythrophyllum, Sond. AB  
glomeruliflorum, Sond. ?  
Gueinzii, Sond. B  
Kraussii, Hochst. BC  
salicifolium, E.M. D  
Sonderi, Gerr. A  
sp. (*Poivreæ bracteosa*) A
- 202 *Quisqualis*, Rumph.  
parviflora, Gerr. A

**Myrtaceæ.**

- 203 *Eugenia*, Linn.  
albanensis, Sond. AB  
capensis, Harv. A  
cordata, Laws. AB  
Gueinzii, Sond. ?  
natalitia, Sond. A  
Zeyheri, Harv. ?  
sp. (Govt. Herbarium, 1434) A  
sp. (Gerr. & McKen, 719) ?
- 204 *Barringtonia*, Forster  
racemosa, Roxb. A

**Melastomaceæ.**

- 205 *Dissotis*, Bth.  
eximia, Harv. AB  
incana Naud. AB  
phaeotricha, Triana A  
sp. (J. M. Wood, 3026) B

- 206 *Olinia* Thunb.  
cymosa, Thb. E

**Lythrarieæ.**

- 207 *Lythrum*, Linn.  
rigidulum, Sond. ?  
sagittifolium, Sond. DE
- 208 *Nesæa*, Commerson  
floribunda, Sond. A  
sp. (J. M. Wood, 1797) A
- 209 *Heteropyxis*, Harv.  
natalensis, Harv. AB
- 210 *Gen. nov.*  
sp. (=J. M. Wood, 3124) B

**Onagrarieæ.**

- 211 *Epilobium*, Linn.  
capense, Burch. B  
flavescens, E. M. B  
hirsutum, Linn. B
- 212 *Jussiaea*, Linn.  
repens, Linn. A  
suffruticosum, Linn. A
- 213 *Ludwigia*, Linn.  
jussaeoides, Harv. (non.  
Lam.) Z
- 214 *Oenothera*, Linn.  
*biennis*, L. A  
*rosea*, Ait. C
- 215 *Trapa*, Linn.  
bispinosa, Roxb. A

**Samydaceæ.**

- 216 *Homalium*, Jacq.  
rufescens, Bth. B  
sp. (=Blackwellia, dentata) ?
- 217 *Gerrardiana*, Oliv.  
foliosa, Oliv. B

**Passifloreæ.**

- 218 *Tryphostemma*, Harv.  
Sandersoni, Harv. AB
- 219 *Ophiocaulon*, Hook.  
gummifera, Hk. f. AB
- 220 *Ceratosicyos*, Nees.  
Eckloni, Nees. BCZ

**Cucurbitaceæ.**

- 221 *Trochomeria*, Hook.  
Hookeri, Harv. B  
sagittata, Hk. f. BC  
sp. (=Zehneria pectinata) Z
- 222 *Peponia*, Naud.  
McKenii, Naud. A
- 223 *Luffa*, Cav.  
sphaerica, Sond. A
- 224 *Momordica*, Linn.  
charantia, Linn. A  
involucrata, E. M. A  
morkorra, A. Rich B
- 225 *Cucumis*, Linn.  
africanus, Linn. ?  
Figarei, Del. var. B  
hirsutus, Sond. B  
metuliferus, E. M. ?
- 226 *Citrullus*, Schrad.  
vulgaris, Schrad. B
- 227 *Cephalandra*, Schrad.  
McKenii, Cogn. ?  
palmata, Cogn. AB  
sp. (=J. M. Wood, 4105) D
- 228 *Mukia*, Arn.  
scabrella, W. & A. A
- 229 *Zehneria*, Endl.  
obtusiloba, Sond. ?  
scabra, Sond. AB
- 230 *Rhynchoscarpa*, Schrad.  
foetida, Schrad. AB
- 231 *Gerrardanthus*, Harv.  
macrorhiza, Harv. AB  
tomentosa, Hook B
- 232 *Gen. nov.*  
sp. (J. M. Wood, 813) B

**Begoniaceæ.**

- 233 *Begonia*, Linn.  
Dregei, Ott & Diet. B  
geranioides, Hk. f. BC  
natalensis, Hk. ?  
suffruticosa, Meisn., } B  
var. Guenziana, A.D.C. }

**Cacteæ.**

- 234 *Rhipsalis*, Gaertn.  
sp. (=J. M. Wood, 171) B

**Ficoideæ.**

- 235 *Mesembryanthemum*, Linn.  
edule, Linn. A  
hirtum, N. E. B. DE  
uncinellum, Harv. ?  
sp. (=J. M. Wood, 599) B  
sp. (= " 739) B  
sp. (= " 3096) B  
sp. (= " 3408) A
- 236 *Aizoon*, Linn.  
canariense, Linn. A  
glinoides, Linn. ?
- 237 *Orygia*, Forsk.  
decumbens, Forsk. A
- 238 *Mollugo*, Linn.  
sp. (=Glinus mollugo, Fenzl) ?
- 239 *Pharnaceum*, Linn.  
distichum, Thb. ?
- 240 *Psammotropha*, Linn.  
androsacea, Fenzl B-E  
myriantha, Sond. B-D
- 241 *Limeum*, Linn.  
viscosum, Fenzl

**Umbellifereæ.**

- 242 *Hydrocotyle*, Linn.  
americana, Linn., } B  
var. monticola, Hk. f. }  
asiatica, Linn. A-D  
var. repanda A  
centella, Cham & Sch. BZ  
umbellata, Linn. A  
sp. (=J. M. Wood, 998) A  
sp. (= " 1345) BZ
- 243 *Alepidea*, La Roche.  
amatymbica, E. & Z. B  
Woodii, Oliv. B  
sp. (=J. M. Wood, 251, 4587) B-E
- 244 *Sanicula*, Linn.  
europæa, Linn. B
- 245 *Conium*, Linn.  
maculatum, Linn. C
- 246 *Bupleurum*, Linn.  
Mundtii, Ch. & Sch. D
- 247 *Heteromorpha*, Ch. & Sch.  
arborescens, Ch. & Sch. BC
- 248 *Lichtensteinia*, Ch. & Sch.  
interrupta, E. M. AB

- 249 *Apium*, Linn.  
graveolens, Linn. A
- 250 *Carum*, Linn.  
sp. (= *Ptychotis*, Meisneri,  
Sond.) ?
- 251 *Sium*, Linn.  
Thunbergii, D. C. B—E
- 252 *Pimpinella*, Linn.  
caffra, Harv. E  
sp. (= *Cnidium* Kraussianum) B
- 253 *Anesorhiza*, Ch. & Sch.  
sp. (= *Peucedanum triterna-*  
*tum*) Z
- 254 *Peucedanum*, Linn.  
capense, Sond. AB  
connatum, E. M. ?  
sp. (= *Seseli caffrum*) B  
sp. (= „ natalensis) P  
sp. (= *Govt. Herbm.*, 3619) ?
- 255 *Selinum*, Linn.  
sp. (*Cnidium suffruticosum*) A

### Araliaceæ.

- 256 *Panax*, Linn.  
Gerrardi, Harv. B
- 257 *Cussonia*, Thb.  
Gerrardi, Seem. C  
Kraussii, Hochst. ?  
natalensis, Sond. B  
paniculata, E. & Z. D  
spicata, Thb. ?  
umbellifera, Sond. AB

### Cornaceæ.

- 258 *Curtisea*, Ait.  
faginea, Ait. DE

### Rubiaceæ.

- 259 *Cephalanthus*, Linn.  
natalensis, Oliv. E
- 260 *Oldenlandia*.  
caffra, E. & Z. B  
corymbosa, Lam. ?  
decumbens, Hiern. A  
Heynci, R. Br. BZ  
sp. (*Hedyotis amatymbica*) AD  
sp. ( „ *cephalotes*) A  
sp. ( „ *chlorophylla*) AB  
sp. ( „ *hirtula*) B  
sp. ( „ *macrophylla*) A  
sp. ( „ *natalensis*) B  
sp. ( „ *rupicola*) ?  
sp. ( „ *tenella*) C  
sp. ( „ *thymifolia*) D

- 261 *Burchellia*, R. Br.  
capensis, R. Br. AB
- 262 *Webera* Schreb.  
sp. (*Kraussia pavettoides*,  
Harv.) B
- 263 *Randia*, Linn.  
lachnosiphonium, Hochst. A  
rudis, E. M. AB  
sp. (*Stylocoryne cuspidata*,  
E. M.) ?
- 264 *Gardenia*, Linn.  
citriodora, Hook A  
Gerrardiana, H. & S. A  
globosa, Hochst. AB  
Neuberia, E. & Z. AB  
Rothmannia, L. f. C  
Thunbergia, L. f. A
- 265 *Oxyanthus*, D. C.  
Gerrardi, Sond. B  
latifolius, Sond. A  
natalensis, Sond. A

### 266 *Kraussia*, Harv.

- coriacea, Sond. A  
floribunda, Harv. A  
lanceolata, Sond. AB

### 267 *Tricalysia*, A. Rich.

- sp. (*Bunbura capensis*) AB

### 268 *Pentanisia*, Harv.

- variabilis, Harv. A  
„ var. *glaucescens* AB  
„ „ *latifolia* B

### 269 *Alberta*, E. M.

- magna, E. M. BC

### 270 *Plectronia*, L.

- ciliata, Sond. B  
pauciflora, Klotzsch ?  
spinosa, Klotzsch A  
sp. (= *Canthium*, Gucinzii,  
Sond.) B  
sp. (= „ *obovatum*,  
Kl.) AB  
sp. (= J. M. Wood, 1573) B  
sp. (= „ 1808) A

### 271 *Vangueria*, Juss.

- infausta, Burch. A—C  
macrocalyx, Sond. B  
venosa, Sond. ?

### 272 *Fadogia*, Schweinfurth

- sp. (= *Vangueria lasiantha*,  
Sond.) AB  
sp. (= „ *latifolia*,  
Sond.) AB  
sp. (= J. M. Wood, 4528) E

- 273 *Pavetta*, Linn.  
 assimilis, Sond. D  
 caffra, Thb. ?  
 Cooperi, Harv. & Sond. CD  
 edentula, Sond. ?  
 Gerrardi, Harv. Mss. A  
 lanceolata, Eck. A  
 natalensis, Sond. B  
 obovata, E. M. A  
 sp. (=J. M. Wood, 320) B  
 sp. (= " 340, 1048) B  
 sp. (= " 340a) B  
 sp. (= " 1196) B
- 274 *Psychotria*, Linn.  
 sp. (=Grumilca capensis,  
 Sond.) AB
- 275 *Galopina*, Thb.  
 circæoides, Thb. D  
 oxyspermum, Steud. AB
- 276 *Anthospermum*, Linn.  
 calycophyllum, Sond. ?  
 hispidulum, E. M. B  
 lanceolatum, Thb. AB  
 pumilum, Sond. D  
 rigidum, E. & Z. E
- 277 *Hydrophylax*, Linn.  
 carnosa, Sond. ?
- 278 *Spermacoe*, Linn.  
 natalensis, Hochst. B
- 279 *Mitracarpum*, Zuccarini  
 Dregeanum, E. M. AB
- 280 *Richardsonia*, Kunth  
 scabra, St. Hil. A
- 281 *Rubia*, Linn.  
 cordifolia, Linn. AB
- 282 *Galium*, Linn.  
 aparine, Linn. E  
 garipense, Sond. D  
 horridum, Thb. ?  
 rotundifolium, L. E  
 subvillosum, Sond. D
- Valerianeæ.**
- 283 *Valeriana*, Linn.  
 capensis, Thb. B—E
- Dipsaceæ.**
- 284 *Cephalaria*, Schrad.  
 attenuata, R. & S. A—E  
 rigida, R. & S. ?

- 285 *Scabiosa*, Linn.  
 columbaria, Linn. AB  
 " var. dissecta DE  
 sp. (=J. M. Wood, 3069) B

### Compositæ.

- 286 *Ethulia*, Linn.  
 conyzoides, Linn. AB
- 287 *Vernonia*, Schreb.  
 angulifolia, D. C. AB  
 anisochaetoides, Sond. A  
 corymbosa, Less. AB  
 Dregeana, Sch., Bip. AB  
 Gerrardi, Harv. D  
 hirsuta, Sch., Bip. A—D  
 Kotschyana, Steud. AB  
 Kraussii, Sch., Bip. AD  
 mespilifolia, Less. A  
 monocephala, Harv. B  
 natalensis, Sch., Bip. A—D  
 pinifolia, Less. A  
 senegalensis, Less. Z  
 Sutherlandi, Harv. D  
 vernonella, Harv. A  
 sp. (=J. M. Wood, 342) AB  
 sp. (= " 3682) Z  
 sp. (= " 3887) ?
- 288 *Adenostemma*, Forst.  
 caffrum, D. C. A  
 Dregei, D. C. B
- 289 *Ageratum*, Linn.  
 conyzoides, Linn. AB
- 290 *Mikania*, Willd.  
 capensis, D. C. AB  
 natalensis, D. C. ?
- 291 *Garuleum*, Cass.  
 latifolium, Harv. B  
 Woodii, Schinz E  
 sp. (=J. M. Wood, 4385) E
- 292 *Aster*, Linn.  
 erigeroides, Harv. A—D  
 filifolius, Vent. D  
 perfoliatus, Oliv. E  
 natalensis, Harv. E  
 sp. (*Diplopappus asper*, Less) A—E  
 var. *pleiocephalus* D
- 293 *Felicia*, Cassini  
 muricata, Nees D  
 sp. (=J. M. Wood, 123) C  
 sp. (= " 4631) E
- 294 *Erigeron*, Linn.  
 canadense, Linn. A—C

**295 Microglossa, D. C.**

mespilifolia, Bth. B

**296 Nidorella, Cassini**

auriculata, D. C. B  
 depauperata, Harv. D  
 foetida, D. C. B  
 hottentottica, D. C. Z  
 linifolia, D. C. ?  
 resedæfolia, D. C. B

**297 Conyza, Lessing**

ægyptiaca, Ait. B  
 incisa, Ait. A—C  
 ivæfolia, Less. A—C  
 obscura, D. C. B  
 pinnatilobata, D. C. B—E

**298 Chrysocoma, Linn.**

tenuifolia, Berg. BC

**299 Brachylæna, R. Br.**

dentata, D. C. C  
 discolor, D. C. A  
 elliptica, Less. B  
 racemosa, Less. ?  
 uniflora, Harv. B

**300 Tarchonanthus, Linn.**

camphoratus, Linn. C  
 minor, Less. Z  
 trilobus, D. C. B

**301 Blumea, D. C.**

lacera, D. C. AB  
 natalensis, Sch. Bip. A

**302 Laggera, Sch. Bip.**

alata, Sch. Bip. AB

**303 Denekia, Thb.**

capensis, Thb. A—E  
 glabrata, D. C. D

**304 Sphaeranthus, Linn.**

peduncularis, D. C. AB

**305 Amphidoxa, D. C.**

gnaphalodes, D. C. B

**306 Achyrocline, Less.**

sp. (=J. M. Wood, 523) B

**307 Gnaphalium, Linn.**

luteo-album, Linn. AB  
 purpureum, Linn. AB  
 undulatum, Linn. B

**308 Helichrysum, Gaertn.**

adenocarpum, D. C. A—E  
 alloides, Less. ?  
 appendiculatum, Less. B  
 var discolor B  
 argyrosphaerum, D. C. ?  
 argyrolepis, McOwan C  
 aureonitens, Sch. Bip. B  
 auriculatum, Less. ?  
 caespitium, Sond. C  
 callicomum, Harv. D  
 capillaceum, Less. C  
 cephaloideum, D. C. B  
 comosum, Sch. Bip. C  
 Cooperi, Harv. A  
 cymosum, Less. B  
 declinatum, Less. ?  
 decorum, D. C. AB  
 ericæfolium, Less. B  
 foetidum, Cass. ?  
 fulgidum, Willd. AC  
 Gerrardi, Harv. A  
 griseum, Sond. A  
 hypoleucum, Harv. ?  
 Kraussii, Sch. Bip. AB  
 latifolium, Less. AB  
 leiopodium, D. C. B  
 longifolium, D. C. B  
 miconiæfolium, D. C. B  
 natalitium, D. C. AB  
 nudifolium, Less. B  
 pannosum, D. C. AB  
 populifolium, D. C. B  
 quinquererve, Less. B  
 rugulosum, Less. A  
 serpyllifolium, Less. B  
 similimum, D. C. BC  
 squamosum, Thb. A—D  
 stenopterum, D. C. A  
 subglomeratum, Less. B  
 Sutherlandi, Harv. B  
 teretifolium, Less. A  
 trilineatum, D. C. E  
 umbraculigerum, Less. BC  
 sp. (=J. M. Wood, 885) C  
 " ( " 1574) A  
 " ( " 1903) B  
 " ( " 1905) B  
 " ( " 1909) B  
 " ( " 1913) B  
 " ( " 1915) B  
 " ( " 3051) BC  
 " ( " 3079) B  
 " ( " 3596) D  
 " ( " 3888) Z  
 " ( " 4251) D  
 " ( " 4323) D  
 " ( " 4557) D

**309 Leontonyx, Cassini**

squarrosus, D. C. AB

**310 Cassinia, R. Br.**

(Rhynea phyllicifolia) AB

- |                                   |     |
|-----------------------------------|-----|
| <b>311 Stoebe, Linn.</b>          |     |
| cinerca, Thb.                     | BC  |
| tortilis, D. C.                   | B   |
| <b>312 Petalactella, N. E. B.</b> |     |
| Woodii, N. E. B.                  | E   |
| <b>313 Athrixia, Ker.</b>         |     |
| fontana, McOwan                   | BC  |
| Gerrardi, Harv.                   | Z   |
| phylicoides, D. C.                | A—D |
| <b>314 Bojeria, D. C.</b>         |     |
| lanceolata, Bth.                  | Z   |
| <b>315 Printzia, Cassini</b>      |     |
| pyrifolia, Less.                  | AB  |
| sp. (=J. M. Wood, 4331)           | C   |
| <b>316 Pulicaria, Gaertn.</b>     |     |
| capensis, D. C.                   | A   |
| <b>317 Geigeria, Griesb.</b>      |     |
| Burkei, Harv.                     | Z   |
| passerinoides, Harv.              | Z   |
| protensa, Harv.                   | Z   |
| Zeyheri, Harv.                    | ?   |
| sp. (=J. M. Wood, 4317)           | D   |
| <b>318 Callilepis, D. C.</b>      |     |
| laureola, D. C.                   | A—C |
| <b>319 Parthenium, Linn.</b>      |     |
| <i>hysterophorus</i> , Linn.      | A   |
| <b>320 Xanthium, Linn.</b>        |     |
| <i>spinosum</i> , Linn.           | A—C |
| <i>strumarium</i> , Linn.         | AB  |
| <b>321 Zinnia, Linn.</b>          |     |
| <i>multiflora</i> , Linn.         | BC  |
| <b>322 Siegersbeckia, Linn.</b>   |     |
| orientalis, Linn.                 | A   |
| <b>323 Eclipta, Linn.</b>         |     |
| erecta, Linn.                     | A   |
| <b>324 Wedelia, Jacq.</b>         |     |
| natalensis, Sond.                 | B   |
| <b>325 Melanthera, Rohr.</b>      |     |
| Brownei, Sch. Bip.                | AB  |
| <b>326 Spilanthes, Linn.</b>      |     |
| africana, D. C.                   | AB  |
| <b>327 Bidens, Linn.</b>          |     |
| <i>bipinnata</i> , Linn.          | B   |
| <i>pilosa</i> , Linn.             | A—E |
| ,, var. <i>leucantha</i> , Willd. | BC  |
| <b>328 Tridax, Linn.</b>          |     |
| <i>procumbens</i> , Linn.         | A   |
| <b>329 Athanasia, Linn.</b>       |     |
| acerosa, Harv.                    | A—C |
| ,, var. <i>J. M. W.</i> , 3969    | Z   |
| <i>coronopifolia</i> , Harv.      | D   |
| <i>Dregeana</i> , Harv.           | C   |
| <i>leucoclada</i> , Harv.         | B   |
| <i>punctata</i> , Harv.           | B   |
| <i>tridens</i> , Oliv.            | D   |
| <b>329a Phymaspermum, Less.</b>   |     |
| <i>Woodii</i> , Hoffm.            | E   |
| <b>330 Chrysanthemum, Linn.</b>   |     |
| <i>osmitoides</i> , Harv.         | ?   |
| <b>331 Matricaria, L.</b>         |     |
| <i>nigellæfolia</i> , D. C.       | AB  |
| sp. (=J. M. Wood, 1908)           | C   |
| ,, (,, 3046)                      | D   |
| <b>332 Cotula, Linn.</b>          |     |
| <i>anthemoides</i> , Linn.        | ?   |
| <i>bipinnata</i> , Thb.           | A   |
| <b>333 Cenia, Juss.</b>           |     |
| <i>hispida</i> , Bth & Hk.        | D   |
| <b>334 Schistostephium, Less.</b> |     |
| <i>cratægifolium</i> , Fenzl.     | A   |
| <i>rotundifolium</i> , Fenzl      | BZ  |
| sp. (=Tanacetum griseum)          | AB  |
| ,, (,, heptalobum)                | B   |
| ,, (,, hippiaefolium)             | D   |
| <b>335 Pentzia, Thunb.</b>        |     |
| <i>pinnatifida</i> , Oliv.        | BC  |
| <i>virgata</i> , Less.            | ?   |
| sp. (=J. M. Wood, 3110)           | B   |
| <b>336 Artemisia, Linn.</b>       |     |
| <i>afra</i> , Jacq.               | A—C |
| <b>337 Lopholaena, D. C.</b>      |     |
| <i>Dregeana</i> , D. C.           | A   |
| <b>338 Gynura, Cassini</b>        |     |
| <i>cernua</i> , Bth.              | BC  |
| <b>339 Cineraria, Linn.</b>       |     |
| <i>atriplicifolia</i> , D. C.     | B   |
| <i>decipiens</i> , Harv.          | ?   |
| <i>lyrata</i> , D. C.             | D   |
| sp. (=J. M. Wood, 1895)           | C   |
| ,, (,, 1899)                      | B   |
| ,, (,, 1898)                      | B   |
| ,, (,, 3074)                      | B   |
| <b>340 Notonia, D. C.</b>         |     |
| <i>grandiflora</i> , D. C.        | B   |

341 *Senecio*, Linn.

achillæfolius, D. C.	D
angulatus, Linn.	A
barbatus, D. C.	D
bryoniaefolius, Harv.	B
bupleuroides, D. C.	B
"    var. latifolius	B
"    "    angustifolius	B
Burchellii, D. C.	B
caudatus, D. C.	B
caulopterus (Fl. Cap.) non D. C.	A
concolor, D. C., non. Harv.	D
coronatus, Harv.	B
crenatus, Thb.	Z
crenulatus, D. C.	B
"    var. discoideus	C
decurrens, D. C.	B
deltoides, Less.	AB
Dregeanus, D. C.	B
"    var. discoideus	B
"    "    (J. M. Wood, 3614)	A
erubescens Ait.	A
"    var. crepidifolius	A
"    "    dichotomus	?
"    "    incisus	B
Gerrardi, Harv.	BZ
Harveianus, McOwan	C
juniperinus, L.	B
lanceus, Ait.	A
latifolius, D. C.	?
macrocephalus, D. C.	?
macroglossus, D. C.	B
mikanioides, Ott.	?
napifolius, McOwan	D
othonnaeflorus, D. C.	C
oxyodontus, D. C.	BZ
oxyriaefolius, D. C.	B
pandurifolius, Harv.	BC
paniculatus, Berg.	A
pellucidus, D. C.	B
picridifolius, D. C.	AB
pterophorus, D. C.	A
"    var. apterus	B
purpureus, Linn.	B
quinquelobus, D. C.	
"    var. helminthoideus	B
"    "    (=J. M. Wood, 573B)	B
rhomboideus, Harv.	B
ryncholaenus, D. C.	BC
rigidus, Linn.	D
ruderalis, Harv.	A
Sandersoni, Harv.	B
segmentatus, Oliv.	B
serra, Sond.	?
serratus, Sond.	AZ
serratuloides, D. C.	AB
speciosus, W.	AB
tamoides, D. C.	AB
sp. (=J. M. Wood, 65)	B
sp. (=    "    176)	B
sp. (=    "    162, 341, 1010)	BC

sp. (=J. M. Wood, 995)	B
sp. (=    "    1015)	B
sp. (=    "    1393)	B
sp. (=    "    1544)	A
sp. (=    "    3049)	D
sp. (=    "    3612)	D
sp. (=    "    3630)	D
sp. (=    "    3868)	Z
sp. (=    "    4040)	D

342 *Kleinia*, Harv.

fulgens	B
---------	---

343 *Euryops*, Cassini

tenuissimus, Less.	B
sp. (=J. M. Wood, 3601)	E
sp. (=    "    3609)	D

344 *Gamolepis*, Less.

debilis, Harv.	A—D
laxa, Harv.	Z

345 *Othonna*, Linn.

carnosa, Less.	
"    var. discoidea Oliv.	A
natalensis, Sch. Bip.	BC
scapigera, Harv.	D
sp. (=Lopholaena platyphylla)?	
sp. (=J. M. Wood, 3915)	?

346 *Dimorphotheca*, Moench

Barberiae, Harv.	?
caulescens, Harv.	D
cuneata, Less.	?
fruticosa, Less.	A

347 *Tripteris*, Less.

natalensis, Harv.	?
-------------------	---

348 *Oligocarpus*, Less.

calendulaceus, Less.	D
----------------------	---

349 *Osteospermum*, Linn.

calendulaceum, Harv.	?
caulescens, Harv.	D
grandidentatum, D. C.	B
helichrysoides, D. C.	?
herbaceum, Linn.	B
lanceolatum, D. C.	?
moniliferum, Linn.	A—C
muricatum, E. M.	DZ
nervatum, D. C.	BZ

350 *Ursinia*, Gaertn.

apiculata, D. C.	?
natalensis, N. E. B.	CZ
tenuiloba, D. C.	D
sp. (=J. M. Wood, 3603)	E

351 *Haplocarpha*, Less.

lyrata, Harv.	A
scaposa, Harv.	DE

352 *Cryptostemma*, R. Br.

calendulaceum, R. Br.	B
-----------------------	---



- 353 Venidium, Less.**  
 arctotoides, Less. DE  
 microcephalum, D. C. D
- 354 Gazania Gaertn.**  
 longiscapa, D. C. A—C  
 serrulata, D. C. ?  
 uniflora, Sims. A
- 355 Berkheya, Ehrh.**  
 debilis, McOwan B  
 setifera, D. C. B  
 subulata, Harv. BZ  
 umbellata, D. C. B  
 sp. (=J. M. Wood, 703) B  
 sp. (= " 589, 967) B  
 sp. (Stoboea acanthopoda) D  
 sp. (= " discolor) B  
 sp. (= " echinacea) Z  
 sp. (= " Gerrardi) ?  
 sp. (= " insignis) A  
 sp. (= " McKenii) D  
 sp. (= " platyptera) B  
 sp. (= " rhapontica) AB  
 sp. (= " seminivea) B  
 sp. (= " speciosa) AB
- 356 Platycarpha, Less.**  
 glomerata, Less. B
- 357 Dicoma, Cassini**  
 anomala, Sond. C  
 " var. cirsioides B—D  
 argyrophylla, Oliv. C  
 macrocephala, D. C. D  
 speciosa, D. C. B  
 Zeyheri, Sond. Z
- 358 Anisochaeta, D. C.**  
 mikanioides, D. C. B
- 359 Gerbera, Gronovius**  
 aurantiaca, Sch. Bip. CD  
 Kraussii, Sch. Bip. A—E  
 natalensis, Sch. Bip. B  
 piloselloides, Cass. A—E  
 plantaginea, Harv. D  
 viridifolia, Sch. Bip. B
- 360 Hieracium, Linn.**  
 capense, Linn. B—D  
 " var. microcephala D  
 polyodon, Fries. B
- 361 Crepis, Linn.**  
 sp. (=J. M. Wood, 671, 4384) BC
- 362 Hypochæris, Linn.**  
 glabra, Linn. A
- 363 Lactuca, Linn.**  
 capensis, Thb. AB  
 indica, Linn. B

- 364 Sonchus, Linn.**  
 integrifolius, Harv. AB  
 oleraceus, Linn. A—D  
 rarifolius, Oliv. & Hiern. B  
 sp. (=J. M. Wood, 1381) BZ

**Goodenovieæ.**

- 365 Scaevola, Linn.**  
 lobelia, Linn. A

**Campanulaceæ.**

- 366 Lobelia, Linn.**  
 anceps, Thb. A—D  
 coronopifolia, Linn. A  
 decipiens, Sond. A—E  
 erinus, Linn. AB  
 laxa, Macowan D  
 natalensis, A. D. C. D  
 patula, Linn. D  
 " var. pteropoda B  
 Preslii, A. D. C. E  
 sp. (=Dobrowskia scabra,  
 var. glabrata) A—C  
 sp. ( " stellarioides Presl. AB  
 var.) Z  
 sp. (Metzleria Dregeana) DE  
 sp. (Parastranthus thermalis) ?  
 sp. (Grammatotheca erinoides) ?  
 sp. ( " Dregeana) ?
- 367 Cyphia, Bergius**  
 corylifolia, Harv. Z  
 digitata, Willd. ?  
 elata, Harv. B—D  
 Gerrardi, Harv. Z  
 heterophylla, Presl. D  
 oblongifolia, Harv. & Sond. Z  
 sp. (=J. M. Wood, 1838) C  
 sp. (= " 4271) D  
 sp. (= " 4399) E  
 sp. (= " 4569) E

**368 Lightfootia, L'Herit**

- denticulata, Sond. C  
 Huttoni, Sond. B  
 tenella, A. D. C. ?

**369 Wahlenbergia, Schrad.**

- caledonica, Sond. BC  
 capensis, A. D. C. E  
 capillacea, A. D. C. B  
 cernua, A. D. C. ?  
 epacridea, Sond. Z  
 montana, D. C. E  
 oppositifolia, A. D. C. BC  
 paucidentata, Schinz. B  
 undulata, A. D. C. B  
 Zeyheri, E. & Z.  
 " var. natalensis BC

- 370 *Roella*, Linn.  
glomerata, A. D. C. A

### Ericaceæ.

- 371 *Erica*, Linn.  
aspalathifolia, Bolus BC  
cerynthoides, Linn. BC  
Cooperi, Bolus BC  
cubica, Linn. BC  
hispidula L. f. E  
natalitia, Bolus B  
Oatesii, R. A. Rolfe E  
urceolaris, Berg B  
Schlechteri, Bolus D  
sp. (=Gerr. & McKen, 1476) ? D  
sp. (=J. M. Wood, 3933) D  
sp. (= " 4281) E  
sp. (= " 873) C  
sp. (= " 1839) C  
sp. (= " 1857) C  
sp. (= " 3389) C

### Plumbaginææ.

- 372 *Plumbago*, Linn.  
capensis, Thb. BC  
" var. alba D

### Primulaceæ.

- 373 *Anagallis*, Linn.  
Huttoni, Harv. C  
crassifolia, ? Gerr. & McKen, 1868  
374 *Samolus*, Linn.  
campanuloides? G. & McKen, 657  
porosus, Thb. A  
Valerandi, Linn. A

### Myrsinææ.

- 375 *Mæsa*, Forsk.  
alnifolia, Harv. AB  
sp. (=J. M. Wood, 1117) AB  
376 *Myrsine*, Linn.  
melanophleus, R. Br. B  
377 *Samara*, Linn.  
sp. (*Embelia*, Kraussii) A

### Sapotaceæ.

- 378 *Chrysophyllum*, Linn.  
natalense, Sond. AB  
379 *Sideroxylon*, Linn.  
inerme, Linn. AB

- 380 *Labourdonnasia*, Bojer.  
discolor, Sond. B

- 381 *Mimusops*, Linn.  
caffra, E. M. A  
obovata, Sond. AB  
sp. (J. M. Wood, 1661) B

### Ebenaceæ.

- 382 *Royena*, Linn.  
cordata, E. M. BC  
hirsuta, Linn. D  
nitens, Harv. ?  
pallens, Thb. AB  
villosa, Linn. AB  
383 *Euclea*, Linn.  
daphnoides, Hiern. D  
lanceolata, E. M. AB  
macrophylla, E. M. ?  
multiflora, Hiern. ?  
natalensis, A. D. C. AB  
undulata, Thb. ?

- 384 *Maba*, Foster  
natalensis, Harv. AB

### Oleaceæ.

- 385 *Jasminium*, Linn.  
angulare, Vahl. E  
Gerrardi (Gerr. & McKen, 1477) ?  
multipartitum, Hochst. AB  
streptopus, E. M. AB

- 386 *Menodora*, H. & B.  
africana, Hk. D

- 387 *Schrebera*, Roxb.  
alata, Welw. A

- 388 *Olea*, Linn.  
foveolata, E. M. AB  
laurifolia, Lam. B  
verrucosa, Link. A

### Apocynaceæ.

- 389 *Carissa*, Linn.  
acuminata, A. D. C. A  
arduinia, Lam. AB  
grandiflora, A. D. C. A

- 390 *Acokanthera*, G. Don.  
spectabilis, Bth. A  
venenata, Don. A

- 391 *Rauwolfia*, Linn.  
natalensis, Sond. AB

- 392 *Orchipeda*, Blume.  
Dregei, ? A
- 393 *Tabernæmontana*, Linn.  
ventricosa, Hochst. B  
sp. (*Voacanga*, Thouarsii) AB  
sp. (=J. M. Wood, 3721) Z

- 394 *Strophanthus*, D. C.  
capensis, D. C. D

### Asclepiadeæ.

- 395 *Cryptolepis*, R. Br.  
capensis, Schltr. B
- 396 *Ectadiopsis*, Bth.  
oblongifolia, Bth. AB
- 397 *Pentopetia*, Dcne.  
sp. (=J. M. Wood, 3634) A
- 398 *Raphionacme*, Harv.  
macrorhiza, Schltr.  
(=densiflora, Harv.) AB  
purpurea, Harv. B  
scandens, Harv. (G. & McK,  
1312) B  
sp. (=J. M. Wood, 849) B  
sp. (= " 1849) C
- 399 *Chlorocodon*, Hook  
Whitei, Hk. f BZ

- 400 *Secamone*, R. Br.  
acutifolia, Harv. (G. & McK.,  
595) AB  
frutescens, Dcne. AB  
Gerrardi B  
Thunbergii, E. M. A

- 401 *Xysmalobium*, R. Br.  
confusum, Elliott B  
Gerrardi, Elliott ?  
involucratum, Dcne. A—C  
padifolium, Elliott AZ  
parviflorum, Harv. MSS. D  
Stockenstromense, Elliott C—E  
undulatum, R. Br. D

- 402 *Schizoglossum*, E. M.  
atropurpureum, E. M. E  
euphorbioides, E. M. (Drege)  
fasciculare, Schltr. B—E  
macrum, Harv. (G. & McK.,  
1313)  
natalensis, Schltr. B  
nitidum, Schltr. ?  
pachyglossum, Schltr. D  
pulchellum, Schltr. E  
stenoglossum, Schltr. B—D  
" var. longipes D  
virens, E. M. (G. & McK., 4)  
viridiflorum, Schltr. B

- Woodii, Schltr. D  
sp. (=Gerrard & McKen, 3) A  
sp. (= " " 16) A  
sp. (= " " 1368) A  
sp. (=Lagarinthus interruptus)  
sp. (=J. M. Wood, 3012) A  
sp. (= " 740) B

- 403 *Gomphocarpus*, R. Br.  
albens, E.M. AB  
appendiculatus, Dcne. B  
asper, Harv. (G. & McK.,  
1285) ?  
brevicuspis, Dcne. B  
campanulatus, Harv. C  
cultriformis, Harv. B  
dealbatus, Dcne. D  
eminens, Harv. CD  
fruticosus, R. Br. D  
Gerrardi, Harv. Z  
gibbus, Dcne. D  
grandiflorus, Dcne. C  
lanatus, E. M. D  
macropus, Schltr. D  
marginatus, Dcne. B  
McKenii Z  
ochroleucus, Schltr. B  
peltigerus, Dcne. B  
physocarpus, E.M. AB  
reflectus, Dcne. B  
revolutus, Dcne. D  
scaber, Harv. C  
truncatus, Dcne. B  
verticillatus, E. M. D

- 404 *Asclepias*, Linn.  
schizoglossoides, Schltr. C

- 405 *Woodia*, Schltr.  
verruculosa, Schltr. CD

- 406 *Pentarrhinum*, E. M.  
insipidum, E. M. AZ

- 407 *Cordylogyne*, E. M.  
globosa, E. M. E  
sp. (*Periglossum*, McKenii,  
Harv.) DE

- 408 *Fanninia*, Harv.  
caloglossa, Harv. D

- 409 *Vincetoxicum*, Moench.  
sp. (=Cynoctonum capense) A  
sp. (=Govt. Herbm., 5997) A

- 410 *Cynanchium*, Linn.  
crassifolium, L. f A

- 411 *Sarcostemma*, R. Br.  
aphyllum, Br. ?  
viminalis, R. Br. AB

- 412 *Gymnema*, R. Br.  
sylvestre, R. Br. B

**413 Tylophora, R. Br.**

Flanagani, Schltr. A  
 syringaeifolia, E. M. A

**414 Pergularia, Linn.**

virens (G. & McKen, 1804)  
 sp. (=J. M. Wood, 3395). A

**415 Dregea, E.M.**

floribunda, E. M. A

**416 Micraster, Harv.**

pulchellus, Harv. B

**417 Sisyranthus, E. M.**

imberbis, Harv. AB  
 rotatus, Schltr. D  
 virgatus, E. M. ?

**418 Ceropogia, Linn.**

linearis, E. M. ?  
 Meyeri, Dcne. DE  
 McKenii? (G. & McK., 8) ?  
 Sandersoni, Dcne. AZ  
 Woodii, Schltr. BC  
 sp. (=J. M. Wood, 1318) B

**419 Riocreuxia, Dcne.**

torulosa A—E  
 sp. (=J. M. Wood, 512) B  
 sp. (= " " 338)

**420 Dichælia, Harv.**

Gerrardi, Harv. ?

**421 Brachystelma, R. Br.**

Gerrardi, Harv. B  
 natalense, Schltr. AB

**422 Anisotome, Fenzl.**

sp. (=J. M. Wood, 410) B

**423 Caralluma, R. Br.**

lutea, N. E. B. D

**424 Stapelia, Linn.**

gigantea, N. E. B. Z  
 Woodii, N. E. B. B

**425 Huernia, R. Br.**

hystrix, N. E. B. BC

**Loganiaceæ.****426 Gomphostigma, Turcz.**

scoparioides, Turcz. D

**427 Nuxia, Lam.**

congesta, R. Br. B  
 floribunda, Bth. B  
 oppositifolia, Bth. A  
 sp. (=J. M. Wood, 1590) B  
 sp. (= " " 3190) A

**428 Chilianthus, Burch.**

dyssophilus, Bth AB  
 oleaceus, Burch. A  
 sp. (=J. M. Wood, 705) B

**429 Buddleia, Linn.**

salviæfolia, Lam. A—E  
 sp. (=J. M. Wood, 574) B

**430 Strychnos, Linn.**

Atherstonei, Harv. A  
 baculum? (=G. & McK., 847)  
 McKenii? (= " " 1421)  
 spinosa, Lam. AB  
 umbanda? A  
 sp. (=G. & McKen, 1422)

**Gentianeæ.****431 Sebæa, R. Br.**

aurea, R. Br. A  
 crassulaefolia, E & Schl. B—E  
 ,, var. lanceolata, Schinz D

**432 Belmontia, E. M.**

grandis, E. M. AB  
 Zeyheri, Schinz A  
 sp. (=J. M. Wood, 133) B  
 sp. (= " " 922) C  
 sp. (= " " 1884) B

**433 Chironia, Linn.**

baccifera, Linn. A  
 densiflora, Elliott B—E  
 palustris, Burch. C  
 peduncularis, Ldl. ?  
 sp. (=J. M. Wood, 983) A

**434 Limnanthemum, Gmelin**

Thunbergianum, Griesb. AB

**Boragineæ.****435 Cordia, Linn.**

caffra, Sond. AB

**436 Ehretia, Linn.**

hottentottica, Burch. B

**437 Cynoglossum, Linn.**

enerve, Turcz. B  
 micranthum, Desf. B—D

**438 Anchusa, Linn.**

capensis, Thb. ?

**439 Myosotis, Linn.**

sp. (J. M. Wood, 3184, 3487) DE

**440 Lithospermum, Linn.**

arvense (=G. & McK., 13)  
 cinereum, A. D. C. D

**441 Tysonia, Bolus**  
africana, Bolus D

### Convolvulaceæ.

**442 Ipomœa, Linn.**  
albivenia, G. Don. D  
angustifolia, Jacq. AB  
argyroides, Choisy D  
biloba, Forsk. A  
calystegioides, E. M. B  
crassipes, Hk. A—D  
digitata, Linn. A  
fragilis, Choisy B  
Gerrardi, Hk. f. ?  
holosericea, E. M. AB  
oblongata, E. M. D  
obscura, Ker. A  
ovata, E. M. B  
palmata, Forsk. AB  
purpurea, Roth. A  
simplex, Thb. B  
Woodii, ? Z  
sp. (=J. M. Wood, 413) AB  
sp. (= " 1310) B  
sp. (= " 1258) B  
sp. (= " 3460) D  
sp. (= " 3500) D  
sp. (= " 3838) A  
sp. (= " 4146) Z

**443 Hewittea, W. & A.**  
bicolor, W. & A. AB

**444 Calystegia, R. Br.**  
sp. (Gerr. & McKen, 1330) ?

**445 Jacquemontia, Choisy.**  
capitata, G. Don. var. A

**446 Convolvulus, Linn.**  
calycinus, Drege B  
farinosus, Linn. AZ  
natalensis, Bernh. D  
sagittatus, Thb. D  
sp. (=J. M. Wood, 4071) D

**447 Evolvulus, Linn.**  
alsinoides, Linn. A—C  
capensis (G. & McKen, 1336) ?

**448 Falkia, Linn.**  
oblonga, Bernh. A

**449 Dichondra, Foster**  
repens, Foster B

**450 Cuscuta, Linn.**  
africana, Willd. (G. & McK.,  
1337)  
cassythioides, Eng. C  
sp. (=J. M. Wood, 596) B

### Solanaceæ.

**451 Solanum, Linn.**  
aculeatissimum, Jacq. E  
auriculatum, Ait. A  
capense, L. f. B  
indicum, Linn. B  
nigrum, Linn. B  
panduræforme, E. M. B  
sanctum, Linn. A  
sp. (=J. M. Wood, 1623) B

**452 Physalis, Linn.**  
peruviana, Linn. AB

**453 Withania, Pauq.**  
somniafer, Don. A

**454 Nicandra, Adans**  
*physaloides*, Gaertn. A—C

**455 Lycium, Linn.**  
acutifolium, E. M. AB  
sp. (Govt. Herbm., 3788) C

**456 Datura, Linn.**  
*stramonium*, Linn. AB

### Scrophularineæ.

**457 Diascia, Link. & Ott.**  
rigescens, E. M. E  
sp. (=J. M. Wood, 1841) B  
sp. (= " 3564) D

**458 Nemesia, Vent.**  
cynanchifolia, Bth. A  
floribunda ?  
fœtens, Vent. B  
melissæfolia, Bth. BC  
pubescens, Bth. ?  
sp. (=J. M. Wood, 1861) B  
sp. (= " 3039) A  
sp. (= " 3622) D  
sp. (= " 4073) D

**459 Diclis, Bth.**  
reptans, Bth. B—E

**460 Phygelius, E. M.**  
capensis, E. M. C—E

**461 Dermatobotrys, Bolus**  
Saundersii, Bolus Z

**462 Halleria, Linn.**  
lucida, Linn. AB

**463 Teedia, Rudolph**  
lucida, Rud. B

**464 Anastrabe, E. M.**  
integerrima, E. M. AB

- 465 Bowkeria, Harv.**  
 cymosa, Macowan ?  
 triphylla, Harv. C—E
- 466 Zaluzianskya, J. W. Schmidt**  
 capensis, Walp. E  
 lychnoidea, Desv. B  
 maritima, Walp. E  
 sp. (=J. M. Wood, 1819) C  
 sp. (= " 3488) D  
 sp. (= " 5171) E
- 467 Phyllopodium, Bth.**  
 bracteatum, Bth. A
- 468 Chaenostoma, Bth.**  
 floribundum, Bth. A—E  
 sp. (=J. M. Wood, 124) B  
 sp. (= " 3035) B  
 sp. (= " 3572) D  
 sp. (= " 3982) Z
- 469 Lyperia, Bth.**  
 atropurpurea, Bth. DE  
 Kraussiana, Burch. B  
 multifida, Bth. D  
 sp. (=Gerr. & McKen, 1243) ?  
 sp. (=J. M. Wood, 3897) ?  
 sp. (= " 4044) C
- 470 Manulea, Linn.**  
 parviflora, Bth. AB  
 sp. (=J. M. Wood, 3935) E  
 sp. (= " 4397) E
- 471 Mimulus, Linn.**  
 gracilis, R. Br. A—E
- 472 Ilysanthes, Rafin**  
 capensis, Bth. B
- 473 Bonnaya, Link. & Ott.**  
 sp. (=J. M. Wood, 1244) B
- 474 Limosella, Linn.**  
 sp. (=J. M. Wood, 3586) D
- 475 Veronica, Linn.**  
 anagallis-aquatica, Linn. D
- 476 Melasma, Berg.**  
 scabrum, Berg. BC
- 477 Alectra, Thb.**  
 melampyroides, Bth. A—C  
 orobanchoides, Bth. B  
 sp. (=J. M. Wood, 1588) A
- 478 Harveya, Hook**  
 sp. (Aulaya coccinea, Harv.) A  
 sp. (=J. M. Wood, 3409) B  
 sp. (=Govt. Herbm., 3752) Z
- 479 Buchnera, Linn.**  
 dura, Bth. A  
 glabrata, Bth. D
- 480 Striga, Lour.**  
 coccinea, Bth. A—D  
 elegans, Bth. D  
 Forbesii, Bth. AB  
 orobanchoides, Bth. C  
 Thunbergii, Bth. B
- 481 Rhamphicarpa, Bth.**  
 tubulosa, Bth. A
- 482 Cycnium, E. M.**  
 adoense, E. M. B  
 racemosum, Bth. B—E  
 Sandersoni, Harv. ?  
 tubatum, Bth. A—D
- 483 Buttonia, McKen**  
 natalensis, McKen AB
- 484 Sopubia, Hamilton**  
 cana, Harv. BC  
 Dregeana, Bth. AB
- 485 Graderia, Bth.**  
 scabra, Bth. A—E
- Lentibularineæ.**
- 486 Utricularia, Linn.**  
 diantha, R. & S. A  
 livida, E. M. B  
 prehensilis, E. M. AB  
 Sandersoni, Oliv. B  
 stellaris, Linn. AB  
 sp. (=J. M. Wood, 4915) A
- Gesneraceæ.**
- 487 Streptocarpus, Ldl.**  
 Faninnæ, Harv. D  
 " var. minor D  
 parviflorus, E. M. A—C  
 polyanthus, Hook C  
 Rexii, Ldl. B  
 Saundersii, Hk. B  
 sp. (=J. M. Wood, 4234) B  
 sp. (=Govt. Herbm., 3438) Z
- Bignoniaceæ.**
- 488 Tecoma, Juss.**  
 capensis, E. M. AB
- 489 Kigelia, D. C.**  
 pinnata, D. C. AB

**Pedaliaceæ.**

- 490 Sesamum, Linn.**  
*indicum*, D. C. A
- 491 Ceratotheca, Endl.**  
*triloba*, E. M. AB  
 „ var. *alba* B

**Acanthaceæ.**

- 492 Thunbergia, Linn.**  
*alata*, Bojer A  
*angulata*, T. & B. B  
*atriplicifolia*, E. M. A—E  
*Dregeana*, Nees AB  
*natalensis*, Hook BC  
*sericea*, Harv. ?  
 sp. (=J. M. Wood, 643) B  
 sp. (= „ 696) B
- 493 Calophanes, Don.**  
*Burkei*, T. And. A—C  
*crenata*, Schinz. A  
 sp. (=J. M. Wood, 3623) D
- 494 Ruellia, Linn.**  
*cordifolia* ? B  
*ovata*, Thb. C  
 sp. (=J. M. Wood, 1375) B  
 sp. (= „ 4053) C
- 495 Phayloopsis, Willd.**  
 sp. (=Aetheilema imbricatum) A

- 496 Blepharis, Juss.**  
*boerhaviaefolia*, Pers. B  
*hirtinervia*, T. And. D  
*saturicefolia*, Pers. BC  
 sp. (=J. M. Wood, 879, 3060) C

- 497 Sclerochiton, Harv.**  
*Harveyanus*, Nees B

- 498 Barleria, Linn.**  
*Gueinzii*, Sond. ?  
*Gerrardiana*, Harv. ?  
*macrostegia*, Nees D  
*Meyeriana*, Nees AB  
*obtusa*, Nees ?  
*ovata*, E. M. C  
 sp. (=J. M. Wood, 803) B

- 499 Crabbea, Harv.**  
*hirsuta*, Harv. AB  
 sp. (=J. M. Wood, 365) B  
 sp. (= „ 3635) D

- 500 Asystasia, Blume**  
*coromandeliana*, Nees AB  
*varia*, N. E. B. Z  
 sp. (=Mackaya bella, Harv.) AB

- 501 Ruttya, Harv.**  
*ovata*, Harv. B

- 502 Justicia, Linn**  
*betonica*, Linn. AB  
*campylostemon*, T. And. B  
*debilis*, Lam. B  
*fasciata*, E. M. A  
*natalensis*, T. And. AB  
*protracta*, T. And. AB

- 503 Isoglossa, Oerst.**  
*ovata*, Nees AB  
 sp. (=Ecteinanthus origa-  
 nioides) A  
 sp. (=Rhitiglossa prolixia) B

- 504 Adhatoda, Nees**  
 sp. (=Duvernoia adhatodes) B

- 505 Rhinacanthus, Nees**  
*communis*, Nees AB

- 506 Dicliptera, Juss**  
*heterostegia*, Nees A

- 507 Peristrophe, Nees**  
*bicalyculata*, Nees A

- 508 Hypoestes, R. Br.**  
*aristata*, R. Br. AB  
*verticillaris*, R. Br. B  
 „ var. *glabra* BZ  
 sp. (=J. M. Wood, 1058) BC  
 sp. (= „ 1818) B

**Selagineæ.**

- 509 Hebenstretia, Linn**  
*comosa*, Hochst. AB  
*integrifolia*, Linn. A  
*polystachya*, Harv. BC  
 sp. (=J. M. Wood, 3620) B  
 sp. (= „ 4194) E

- 510 Selago, Linn**  
*hyssopifolia*, E. M. AB  
*racemosa*, Bernh. AB  
 sp. (=J. M. Wood, 521) B  
 sp. (= „ 1858) B  
 sp. (= „ 3006) B  
 sp. (= „ 3485) D  
 sp. (= „ 3967) Z

**Verbenaceæ.**

- 511 Lantana, Linn**  
*salviaefolia*, Jacq. B

- 512 Lippia, Linn**  
*asperifolia*, Rich. B  
*nodiflora*, Rich. A

- 513 Bouchea, Cham**  
*cuneifolia*, Sch. BC  
*latifolia*, Harv. BC

- 514 Priva, Adans**  
dentata, Juss. A
- 515 Verbena, Linn**  
officinalis, Linn. B
- 516 Clerodendron, Linn**  
glabrum, E. M. AB  
sp. (=Cyclonema serratum,  
Hochst.) B  
sp. (= " triphyllum,  
Harv. A—E
- 517 Avicennia, Linn**  
officinalis, Linn. A

**Labiatae.**

- 518 Ocimum, Linn**  
obovatum, E. M. A—D  
obtusifolium, E. M. B  
rariflorum, Hochst. B  
suave, Willd. BZ
- 519 Moschosma, Reich.**  
riparia, Hochst. AB
- 520 Orthosiphon, Bth.**  
sp. (=Ocimum teucriifolium) B  
sp. (=J. M. Wood, 3107) B  
sp. (= " 3554) D  
sp. (= " 3573) D
- 521 Syncolostemon, E. M.**  
densiflorus, Bth. B—D  
parviflorus, var. B  
ramulosum, E. M. A  
rotundifolius, E. M. B  
sp. (=J. M. Wood, 1883, 1994) A  
sp. (= " 3875) Z
- 522 Plectranthus, L'Herit**  
calycinus, Bth. BC  
ciliatus, E. M. B  
coloratus, E. M. B  
esculentus, N. E. B. B  
floribundus, N. E. B. B  
laxiflorus, Bth. B  
marrubioides, Hochst. Z  
petiolaris, E. M. A  
purpuratus, Harv. B  
saccatus, Bth. BC  
tomentosus, Bth. AB  
sp. (=J. M. Wood, 1843) B  
sp. (= " 1864, 3117) B  
sp. (= " 3036) BZ  
sp. (= " 3167) B  
sp. (= " 3977) Z  
sp. (= " 3981) Z
- 523 Coleus**  
sp. (=J. M. Wood, 4340) C
- 524 Aeolanthus, Mart**  
parvifolius, Bth. B

- 525 Pycnostachys, Hk**  
reticulata, Bth. A—C
- 526 Hyptis, Jacq.**  
pectinata, Poir AB
- 527 Mentha, Linn**  
aquatica, Linn. AB  
viridis, Linn. D
- 528 Micromeria, Bth**  
pilosa, Bth. B
- 529 Salvia, Linn**  
stenophylla, Burch. D  
sp. (=J. M. Wood, 3621) D  
sp. (= " 4042) CD
- 530 Stachys, Linn**  
aethiopica, Linn. A  
caffra, E. M. B—E  
grandifolia, E. M. D  
hyssopioides, Burch. D  
nigricans, Bth. B  
tubulosa, Macowan DE  
sp. (=J. M. Wood, 1846) B  
sp. (= " 4806) C
- 531 Leucas, R. Br**  
glabrata, Br. C  
martinicensis, R. Br. B
- 532 Lasiocorys, Bth**  
capensis, Bth. C
- 533 Leonotis, Persoon**  
dubia, E. M. BC  
laxifolia, Macowan ?  
leonurus, Brown A—C  
nepetaefolius ? (W. Keit, 393) ?  
rugosa ? ( " 362) ?

- 534 Teucrium, Linn**  
capense, Thb. C  
riparium, Hochst. B
- 535 Ajuga, Linn**  
ophrydis, Burch. B—E

**Plantagineae.**

- 536 Plantago, Linn**  
Dregeana, Dcne. A  
lanccolata, Linn. D  
major, Linn. ?  
sp. (=J. M. Wood, 4049) D

**Nyctagineae.**

- 537 Boerhaavia, Linn**  
pentandra, Burch. C  
scandens ? (G. & McK., 1488) ?  
sp. (=J. M. Wood, 4495) A



**Illecebraceæ.**

538 *Pollichia*, Solander  
campestris, Solander B—D

539 *Corrigiola*, Linn.  
littoralis, Linn. B

**Amarantaceæ.**

540 *Celosia*, Linn.  
trigyna, Linn. AB

541 *Hermbstœdtia*, Reich.  
caffra, Moq. BC  
sp. (=J. M. Wood, 3989) Z

542 *Amarantus*, Linn.  
paniculatus, Linn. D  
spinosus, Linn. A  
Thunbergii, Moq. A—D

543 *Sericocoma*, Fenzl.  
angustifolia, Hk. f. C  
chrysurus, Meisn. AB

544 *Cyathula*, Loureiro  
cylindrica, Moq. BC  
globulifera, Moq. AB  
lappacea, Moq. E  
sp. (=J. M. Wood, 1323) B

545 *Pupalia*, Juss  
atropurpurea ? (=G. & McK.,  
476)

546 *Psilotrichum*, Blume  
africanum, Oliv. Z  
,, var. (=J. M. Wood, 3936) Z

547 *Aerva*, Forsk.  
lanata, Juss. AB

548 *Achryanthes*, Linn.  
aspera, Linn. AB  
avicularis, E. M. (G. & McK.,  
477)

549 *Alternanthera*, Forsk.  
sessilis, R. Br. A

550 *Gomphrena*, Linn.  
globosa, Linn. A

**Chenopodiaceæ.**

551 *Chenopodium*, Linn.  
*ambrosioides*, Linn. A  
*Botrys*, Linn. BC  
*murale*, Linn. AB

552 *Chenolea*, Thb.  
diffusa, Thb. A

553 *Salicornia*, Linn.  
herbacea, Linn. A

**Phytolaccaceæ.**

554 *Phytolacca*, Linn.  
abyssinica, Hoffm. BC  
octandra, Linn. BC  
stricta, Hoffm. B

**Polygonaceæ.**

555 *Oxygonum*, Burch.  
Dregeanum, Meisn. AB

556 *Polygonum*, Linn.  
alatum, Hamilton B  
aviculare, Linn. E  
lanigerum, R. Br. A  
laphthifolium, Linn. A  
minus, Huds. (G. & McK., 482) ?  
serrulatum, Lag. C  
tomentosum, Willd. AB

557 *Rumex*, Linn.  
acetosella, Linn. D  
Ecklonianus, Meisn. B  
lanceolatus ?  
sp. (=J. M. Wood, 3583) D

**Podostemaceæ.**

558 *Hydrostachys*, Thouars  
natalensis, Wedd. A—C

**Piperaceæ.**

559 *Piper*, Linn.  
capense, Linn. f. BC

560 *Peperomia*, Ruiz & Pav.  
caffra, E. M. BC

**Laurineæ.**

561 *Cryptocarya*, R. Br.  
acuminata, Schinz AB  
latifolia, Sond. ?  
sp. (=J. M. Wood, 1402) B  
sp. (= " 3033) B

562 *Ocotea*, Aublet  
(*Oreodaphne bullata*, Nees) C

563 *Cassytha*, Linn.  
capensis, Meisn. ?

## Proteaceæ.

- 564 *Protea*, Linn.  
 abyssinica, Willd. ?  
 hirta \* A—D  
 lanceolata (G. & McK., 783) E  
 sp. (=J. M. Wood, 3514) E  
 565 *Faurea*, Harv.  
 saligna, Harv. AB

## Thymeliaceæ.

- 566 *Dais*, Linn.  
 cotinifolia, Harv. C—E  
 567 *Arthrosolen*, C. A. Mey  
 calcephala, C. A. M. BC  
 pimelioides, Meisn. ?  
 sp. (=J. M. Wood, 241) AB  
 568 *Passerina*, Linn.  
 filiformis, Linn. BC  
 sp. (=J. M. Wood, 1712) A  
 sp. (= " 3464) D  
 569 *Struthiola*, Linn.  
 sp. (=J. M. Wood, 3030) C  
 570 *Gnidia*, Linn.  
 microcephala, Meisn. E  
 ovalifolia, Meisn. BC  
 sp. (=J. M. Wood, 755) A  
 sp. (= " 3031) C  
 571 *Lasiosiphon*, Fresen  
 caffer, Meisn. E  
 Kraussii, Meisn. B  
 linifolius, Dcne. D  
 macropetalus, Meisn. AB  
 sp. (=J. M. Wood, 115) B  
 sp. (= " 3159) C  
 sp. (= " 3448) D  
 sp. (= " 3852) A  
 572 *Peddeia*, Harv.  
 africana, Harv. AB

## Loranthaceæ.

- 573 *Loranthus*, Linn.  
 Dregci, E. & Z. A  
 Kraussianus, Meisn. AB  
 natalitius, Meisn. A  
 " var. minor  
 quinquenervius, Hochst. A  
 sp. (=J. M. Wood, 3874) Z  
 574 *Viscum*, Linn.  
 continuum, E. M. A  
 dichotomum, Don. ?  
 obovatum, Harv. A  
 rotundifolium, Thb. A  
 sp. (=J. M. Wood, 3864) Z

## Santalaceæ.

- 575 *Thesium*, Linn.  
 junceum, Bernh. A—D  
 sp. (=J. M. Wood, 262) B  
 sp. (= " 249) B  
 sp. (= " 756, 3105) AB  
 sp. (= " 1095, 3003) B  
 sp. (= " 1141) B  
 sp. (= " 3574) D  
 sp. (= " 3582) D  
 sp. (= " 4432) D  
 576 *Osyridocarpus*, A. D. C.  
 natalensis, A. D. C. AB  
 577 *Colpoon*, Bergius  
 compressum, Berg. BC  
 578 *Osyris*, Linn.  
 abyssinica, Hochst. ?

## Euphorbiaceæ.

- 579 *Euphorbia*, Linn.  
 bupleurifolia, Jacq. B  
 cervicornis, Boiss. A  
 epicyparissias, E. M. A  
 erubescens, E. M. A—C  
 cricoides, Lam. ?  
 grandidens, Harv. A  
 Gueinzii, Bois A  
 hypericifolia, Linn. A  
 indica, Lam. A  
 natalensis, Bernh. A  
 oxystegia, Boiss. A  
 peplus, Linn. A  
 pilulifera, Linn. A  
 rhombifolia, Boiss. C  
 sanguinea, E. M. A—C  
 striata, Thb. A—E  
 sp. (=J. M. Wood, 61) AB  
 sp. (= " 1407) D  
 580 *Synadenium*, Boiss.  
 arborescens, Hk. f. AB  
 581 *Notobuxus*, Oliver  
 natalensis, Oliver AB  
 582 *Bridelia*, Willd.  
 micrantha, Planch. AB  
 583 *Phyllanthus*, Linn.  
 genistoides, Sond. A  
 glaucophyllus, Meisn. AB  
 myrtaceus? (G. & McK., 1162)?  
 tenellus, Roxb. A  
 sp. (=J. M. Wood, 855, 1765) AB  
 584 *Cyclostemon*, Blume  
 argutus, Mull. Arg. AB  
 natalensis, Oliv. A

<b>585 Antidesma, Linn.</b>	
venosum, E. M.	AB
<b>586 Jatropha, Kth.</b>	
hirsuta, Hochst.	AB
natalensis, Mull. Arg.	CD
sp. (=J. M. Wood, 4242)	D
<b>587 Croton, Linn.</b>	
sylvaticus, Hochst.	AB
<b>588 Cluytia, Ait.</b>	
alaternoides, Linn.	?
heterophylla, Thb.	?
hirsuta, Mull. Arg.	B
natalensis, Bernh.	D
pulchella, Linn.	A—C
sp. (=J. M. Wood, 1990)	B
<b>589 Claoxylon, A. Jussieu</b>	
capense, Baill.	AZ
sp. (=J. M. Wood, 1391)	A
<b>590 Leidesia, Mull. Arg.</b>	
capensis, Mull. Arg.	B
<b>591 Adenocline, Turcz.</b>	
mercurialis, Turcz.	B
sp. (=J. M. Wood, 253)	BZ
<b>592 Acalypha, Linn.</b>	
Eckloni, Baill.	B
peduncularis, Meisn.	B
petiolaris, Krauss.	AB
sp. (=J. M. Wood, 1241)	B
sp. (= " 4552)	D
<b>593 Macaranga, Thouars.</b>	
(Mappa capensis, E. M.)	AB
<b>594 Ricinus, Linn.</b>	
communis Linn.	A—C
<b>595 Dalechampia, Linn.</b>	
capensis, Spreng.	AB
<b>596 Excoecaria, Linn.</b>	
africana, Mull. Arg.	A
integerrima =	A
reticulata, Mull. Arg.	A
sp. (=J. M. Wood, 954)	B
sp. (= " 991)	B
<b>597 Tragia, Linn.</b>	
(=Ctenomeria cordata,	
Harv.)	AB
sp. (=J. M. Wood, 741)	B
<b>598 Gelonium, Roxb.</b>	
africanum, Mull. Arg.	A

## Urticaceæ.

<b>599 Celtis, Linn.</b>	
Kraussiana, Bernh.	A
rhamnifolia Presl.	D
<b>600 Trema, Lour.</b>	
bracteolata, Blume	AB
<b>601 Chætachme</b>	
aristata, Planch.	AB
nitida, Planch & Harv.	?
<b>602 Cannabis, Linn.</b>	
sativa, Linn.	A—C
<b>603 Ficus, Linn.</b>	
capensis, Thb.	?
cordata, Thb.	?
mapumulo, Gerr. MSS.	B
natalensis, Hochst.	?
<b>604 Urtica, Linn.</b>	
urens, Linn.	A
sp.	A
<b>605 Fleurya, Gaud.</b>	
capensis, Wedd.	B
grossa, Wedd.	B
sp. (=J. M. Wood, 716)	B
sp. (= " 1880)	B
<b>606 Urera, Gaud.</b>	
tenax, N. E. B.	AB
sp. (=J. M. Wood, 1803)	B
<b>607 Droguetia, Gaud.</b>	
urticoides, Wedd.	A
sp. (=J. M. Wood, 3152)	D
<b>608 Australina, Gaud.</b>	
acuminata Wedd.	A

## Myricaceæ.

<b>609 Myrica, Linn.</b>	
æthiopica?	?
sp. (=J. M. Wood, 985)	AB

## Salicineæ.

<b>610 Salix, Linn.</b>	
capensis, Thb. var.	DE

## Ceratophylleæ.

<b>611 Ceratophyllum, Linn.</b>	
sp. (=J. M. Wood, 4000)	A

## GYMNOSPERMEÆ.

## Conifereæ.

- 612 *Callitris*, Vent.  
cupressoides, Schrad. E
- 613 *Podocarpus*, L'Herit  
elongatus, L'Herit A—C  
Thunbergii, Hook B—E

## Cycadaceæ.

- 614 *Encephalartos*, Lehm.  
Altensteini, Lehm. B  
caffer, Miq. BC  
Ghelinckii, Lehm. A—E  
Lehmanni, Lehm. ?  
longifolius, Lehm. ?  
villosus, Lehm. B
- 615 *Stangeria*, T. Moore  
paradoxa, Moore AB

## MONOCOTYLEDONES.

## Orchideæ.

- 616 *Liparis*, L. C. Rich  
Bowkeri, Harv. C  
Gerrardi, Reich. ?
- 617 *Bulbophyllum*, Thouars  
Sandersoni, Reichb. f. AB
- 618 *Calanthe*, R. Br.  
natalensis, Reichb. f. A—C. Z
- 619 *Eulophia*, R. Br.  
aequalis, Bolus A  
aculeata, Spreng. B  
arenaria, Bolus AB  
barbata, Spreng. AB  
bicolor, Reich. B  
Buchanani, Bolus B  
caffra, Reich. D  
carunculifera, Reich. ?  
calanthoides, Schltr. ?  
clitellifer, Bolus B  
Dregeana, Ldl. C  
ensata, Ldl. AB  
hians, Spreng. B  
inaequalis, Schltr. C  
Krebsii, Bolus ?  
laxiflora, Schltr. B  
leontoglossa, Reich. AB  
McKenii, R. A. Rolfe A  
natalensis, Reich. A  
nigricans, Schltr. A  
Oliveriana, Bolus ?  
parvilabris, Ldl. ?  
porphyroglossa, Bolus A  
Reichenbachiana, Bolus B

- speciosa, Bolus A  
streptopetala, Ldl. B  
tristis, Spreng. ?  
Woodii, Schltr. E  
sp. (=J. M. Wood, 1430) A

- 620 *Ansellia*, Ldl.  
gigantea, Reichb. f. AB  
„ var. citrina, Reichb. f. A

- 621 *Polystachya*, Hooker  
Gerrardi, Harv. D  
grandiflora, Ldl. ?  
Ottoniana, Reichb. f. A  
pubescens, Reichb. f. B  
rigidula, Reichb. f. ?  
Sandersoni, Harv. A  
similis, Reichb. f. ?  
tricuris, Reichb. f. ?

- 622 *Cyrtopera*, Ldl.  
papillosa, Rolfe A—C

- 623 *Angraecum*, Thouars  
arcuatum, Ldl. AB  
bicaudatum, Ldl. B  
caffrum, Bolus ?  
chiloschistæ, Reichb. f. ?  
conchiferum, Ldl. ?  
Gerrardi, Bolus B  
Maudæ, Bolus Z  
mystacidii, Reichb. f. ?  
Saundersiæ, Bolus A  
tricuspe, Bolus ?  
tridentatum, Harv. B

- 624 *Mystacidium*, Ldl.  
filicorne, Ldl. B  
Gerrardi, Bolus ?  
gracile, Harv. A  
pusillum, Harv. B

- 625 *Zeuxine*, Ldl.  
sp. (R. Schlechter) A

- 626 *Platylepis*, A. Rich  
glandulosa, Reichb. f. A

- 627 *Herminium*, Linn.  
natalense, Reichb. f. ?

- 628 *Stenoglottis*, Ldl.  
fimbriata, Ldl. B—D  
longifolia, Hk. f. Z

- 629 *Huttonæa*, Harv.  
fimbriata, Reichb. f. D  
grandiflora, Schltr. E  
pulchra, Harv. B

- 630 *Holothrix*, L. C. Rich.  
Lindleyana, Reichb. f. ?  
multisecta, Bolus ?  
orthoceras, Reichb. f. B

**631 Habenaria, Willd.**

arenaria, Ldl.	B
Boltoni, Harv.	A
Bonatea, Reichb. <i>f</i>	AB
cassidea, Reichb. <i>f</i>	?
ciliosa, Ldl.	?
cornuta, Ldl.	?
clavata, Reichb. <i>f</i>	B
dives, Reichb. <i>f</i>	A
Dregeana, Ldl.	AB
foliosa, Reichb. <i>f</i>	A—D
involuta, Bolus	A
malacophylla, Reichb. <i>f</i>	E
natalensis, Reichb. <i>f</i>	AC
parvula, Harv. MSS.	?
polypodantha, Reichb. <i>f</i>	?
porrecta, Bolus	?
Saundersiæ, Harv.	A
tenuior, N. E. B.	B
tetrapetala, Reichb. <i>f</i>	A—D
tridens, Ldl.	?
Tysoni, Bolus	B

**632 Cynorchis, Thouars**

sp. (J. Sanderson)	?
--------------------	---

**633 Satyrium, Swartz**

Atherstonei, Reichb. <i>f</i>	A
cordifolium, Ldl.	D
eriosomum, Ldl.	B
longicauda, Ldl.	B
macrophyllum, Ldl.	B
ocellatum, Bolus	D
parviflorum, Sw.	B
sphaerocarpum, Ldl.	A—E
Woodii, Schltr.	B
sp. (=J. M. Wood, 782)	B
sp. (= " 1411)	D
sp. (= " 336, 1582)	B

**634 Disa, Berg.**

aconitoides, Sond.	B
brevicornis, Bolus	?
cephalotes, Reichb. <i>f</i>	E
chrysostachya, Sw.	BC
Cooperi, Reichb. <i>f</i>	C
crassicornis, Ldl.	B
delphinoides, Harv.	D
læta, Reichb. <i>f</i>	?
Macowani, Reichb. <i>f</i>	D
nervosa, Ldl.	B
oreophila, Bolus	E
patula, Sond.	D
polygonoides, Ldl.	A—E
sagittalis, Sw.	?
stachyoides, Reichb. <i>f</i>	B—E
stenoglossa, Bolus	?
stricta, Sond.	?
tripetaloides, N. E. B.	B

**635 Brownleea, Ldl.**

cœrulea, Harv.	?
parviflora, Harv.	?
recurvata, Sond.	?
sp. (=J. M. Wood, 3177)	B

**636 Brachycorythis, Ldl.**

ovata, Harv.	AB
pubescens, Harv.	BC

**637 Schizochilus, Sond.**

Gerrardi, Bolus	E
Zeyheri, Sond.	B—E

**638 Pterygodium, Sw.**

magnum, Reichb. <i>f</i>	B—E
--------------------------	-----

**639 Disperis, Sw.**

anthoceros, Reichb. <i>f</i>	BC
cardiophora, Harv.	B
Cooperi, Harv.	D
Fanniniæ, Harv.	DE
oxyglossa, Bolus	B
Woodii, Bolus	A—C
sp. (R. Schlechter)	A

**640 Corycium, Sw.**

nigrescens, Sond.	A—E
-------------------	-----

**Scitamineæ.****641 Kæmpferia, Linn.**

sp. (=J. M. Wood, 544)	B
------------------------	---

**642 Strelitzia, Ait.**

augusta, Thb.	AB
---------------	----

**Haemodoraceæ.****643 Sansevieria, Thb.**

guineensis, Willd.	AB
--------------------	----

**Irideæ.****644 Moræa, Linn.**

iridioides, Linn.	B
natalensis, Baker	C
spathacea, Ker.	E
tenuis, Ker.	?
tricuspis, Ker.	?
tripetala, Ker.	AB

**645 Aristeia, Aiton**

anceps, Ecklon	AB
compressa, Buch.	A
Eckloni, Baker	B
majubensis, Baker	E
schizolaena, Harv.	BC
torulosa, Klatt.	AB

**646 Schizostylis, Burch. & Harv.**

- coccinea, B & H. ?  
pauciflora, Klatt. E

**647 Hesperantha, Ker.**

- Baurii, Baker A—E  
gracilis, Baker C  
lactea, Baker BC  
leucantha, Baker E  
modesta, Baker A  
radiata, Ker. D  
Woodii, Baker BC

**648 Dierama, K. Koch**

- pendula, Baker A—E  
" var. pumila, Baker ?

**649 Ixia, Linn.**

- tricorhiza, Baker D

**650 Lapeyrousea, Poir.**

- cruenta, Bth. AB  
leptostachya, Baker ?

**651 Watsonia, Miller**

- densiflora, Baker A—D  
" var. alba A—B  
humilis, Miller ?  
Meriana, Miller BC

**652 Acidanthera, Hochst.**

- brevicollis, Baker ?  
platypetala, Baker A—E

**653 Crocosmia, Planch.**

- aurea, Planch. AB

**654 Tritonia, Ker.**

- Kraussii, Baker ?  
laxiflora, Bth. B  
lineata, Ker. A  
Pottsii, Bth. BC  
rosea, Klatt. ?  
teretifolia, Baker ?

**655 Gladiolus, Linn.**

- aurantiacus, Klatt. B  
brevifolius, Jacq. B  
crassifolius, Baker CD  
cruentus, Moore ?  
dracocephalus, Hook. f. ?  
Eckloni, Lehm. DE  
edulis, Burch. E  
inandensis, Baker C  
Ludwigii, Pappé B—D  
Papilio, Hook A—D  
psittacinus, Hook AB  
" var. Cooperi, Baker ?  
permeabilis, Delaroché ?  
purpureo-auratus, Hook B  
rachidiflorus, Klatt. ?  
Saundersii, Hook. f. B  
Woodii, Baker B

**656 Antholyza, Linn.**

- caffra, Ker. ?  
paniculata, Klatt. DE

**Amarylloideæ.****657 Hypoxis, Linn.**

- acuminata, Baker B  
angustifolia, Lam.  
" var. Buchanani, Baker B  
Baurii, Baker E  
filiformis, Baker A—E  
Gerrardi, Baker B  
Kraussiana, Buch. ?  
latifolia, Hook. ?  
membranacea, Baker B  
milliodes, Baker D  
multiceps, Buch. B—E  
obliqua, Jacq.  
" var. pannosa, Baker E  
oligotricha, Baker A  
parvula, Baker E  
platypetala, Baker D  
rigidula, Baker B  
" var. pilosissima, Baker E  
Rooperi, Moore B—D  
sericea, Baker A  
Woodii, Baker B

**658 Curculigo, Gaertn.**

- plicata, Dryander ?  
" var. Barberiæ, Baker B

**659 Anoiganthus, Baker**

- breviflorus, Baker BC  
luteus, Baker AB

**660 Apodolirion, Baker**

- Buchanani, Baker C  
Ettæ, Baker B  
McKenii, Baker C

**661 Crinum, Linn.**

- longifolium, Thb. A—C  
Macowani, Baker ?  
Moorei, Hk. f. B

**662 Brunsvigia, Heister**

- Josephinæ, Gawl B—E, Z

**663 Nerine, Herbert**

- flexuosa, Herbert BC  
pancratioides, Baker B

**664 Cyrtanthus, Aiton**

- angustifolius, Ait. A—D  
lutescens, Herbert E  
McKenii, Hook A  
obliquus, Ait. B  
odorus, Gawl ?  
sanguineus, Hook. AB

- 665 Clivia, Ldl.**  
 Gardneri, Hook. ABZ  
 miniata, Regel AB
- 666 Haemanthus, Linn.**  
 albomaculatus, Baker A  
 Baurii, Baker B  
 deformis, Hooker ?  
 hirsutus, Baker E  
 Katherineæ, Baker A  
 magnificus, Herb. ?  
 membranaceus, Baker B  
 McKenii, Baker ?  
 natalense, Pappe AB  
 puniceus, Linn. A  
 sp. (J. M. Wood, 4810) E

- 667 Buphane, Herbert**  
 disticha, Herbert AB

- 668 Vellozia, Vand.**  
 elegans, Oliv. BC  
 sp. (=Xerophyta viscosa, Baker) E

**Dioscoraceæ.**

- 669 Dioscorea, Linn.**  
 diversifolia, Griesbach B  
 elephantopus, Spreng. C  
 malifolia, Baker B  
 multiloba, Kunth. B  
 rupicola, Kth. B  
 undatiloba, Baker ?  
 sp. (=Testudinaria sylvatica, Kth.) B  
 sp. (=Helmia Dregeana, Kth.) B  
 sp. (=J. M. Wood, 1618) AB

**Liliaceæ.**

- 670 Smilax, Linn.**  
 Kraussiana, Meisn. A—C
- 671 Asparagus, Linn.**  
 aethiopicus, Linn. B  
 africanus, Lam. ?  
 asiaticus, Linn. ?  
 falcatus, Linn. A  
 medeoloides, Thb. B  
 myriocladus, Baker B  
 plumosus, Baker B  
 „ var. nanus A  
 sarmentosus, Linn. B  
 Saundersiæ, Baker ?  
 stipulaceus, Lam. ?  
 subulatus, Thb. ?  
 virgatus, Baker AB  
 sp. (=J. M. Wood, 989) B  
 sp. (= „ 3041) B  
 sp. (= „ 4089) D

- 672 Behnia, Didrichs**  
 sp. (=Hylonome reticulata) B

- 673 Kniphofia, Moench.**  
 aloides, Moench AC  
 breviflora, Harv. MSS. E  
 Buchananii, Baker B—D  
 gracilis, Harv. Z  
 laxiflora, Kth. ?  
 modesta, Baker C  
 natalensis, Baker ABZ  
 pauciflora, Baker A  
 Rooperi, Lemaire ?  
 triangularis, Kth. D  
 Woodii, Baker C  
 sp. (=J. M. Wood, 3895) E

- 674 Gasteria, Duval**  
 disticha, Harv. ?  
 „ var. natalensis ?  
 gracilis, Baker ?

- 675 Aloe, Linn.**  
 Bainesii, Dyer B  
 Cooperi, Baker B  
 ferox, Miller B—D  
 Kraussii, Baker BC  
 myriacantha, R & S ?  
 platylepis, Baker ?  
 pratensis, Baker C  
 purpurascens, Harv. FC  
 saponaria, Harv. A—E  
 suprakævis, Harv. ?

- 676 Dracaena, Linn.**  
 Hookeriana, K. Koch A

- 677 Bulbine, Linn.**  
 asphodeloides, Schultz f B  
 latifolia, Schultz f AB  
 narcissifolia, Salm. D. D  
 sp. (=J. M. Wood, 553) B

- 678 Boweia, Harv.**  
 volubilis, Harv. C—E

- 679 Eriospermum, Jacq.**  
 McKenii, Baker B  
 microphyllum, Baker E  
 natalense, Baker E  
 ornithogaloides, Baker B  
 sp. (=J. M. Wood, 256) AB  
 sp. (= „ 1346) B

- 680 Anthericum, Linn.**  
 angulicaule, Baker ?  
 capitatum, Baker E  
 carnosum, Baker A  
 Cooperi, Baker ?  
 Gerrardi, Baker BZ  
 Jacquinianum, Sch. f A  
 var. affinis, Baker A  
 longifolium, Jacq. ?  
 longistylum, Baker ?  
 pulchellum, Baker AB

**681 Chlorophytum, Ker.**

comosum, Baker	B
elatum, R. Br.	?
modestum, Baker	?
vaginatatum, Baker	E

**682 Agapanthus, L'Herit**

præcox, Willd.	?
umbellatus, L'Herit	B—D
"    var. minor	D

**683 Tulbaghia, Linn.**

acutiloba, Harv	AB
"    var.	B
alliacea, Thb.	BC
natalensis, Baker	DE
sp. (=J. M. Wood, 4408)	D

**684 Drimia, Jacq.**

elata Jacq.	
var. Cooper, Baker	D
neriniformis, Baker	E
robusta, Baker	B

**685 Dipcadi, Medicus**

hyacinthoides, Baker	?
umbonatum, Baker	AB
viride, Moench	
var. natalensis, Baker	B

**686 Galtonia, Dene.**

candicans, Dene.	E
princeps, Dene.	D

**687 Albuca, Linn.**

Elliotti, Baker	E
Nelsoni, N. E. B.	A
trichophylla, Baker	?
sp. (=J. M. Wood, 750)	B
sp. (=    "    783)	B

**688 Urginea, Steinh.**

lilacina, Baker	B
luxuriata <sup>o</sup>	?
rosea, Baker	B
sp. (=J. M. Wood, 276)	B
sp. (=    "    1036)	B
sp. (=    "    1052)	B
sp. (=    "    3138)	A

**689 Drimiopsis, Ldl.**

maculata, Ldl.	AB
maxima, Baker	C
minor, Baker	D
sp. (=Scilla humifusa, Baker)	B
sp. (=J. M. Wood, 656)	B

**690 Eucomis, L'Herit**

punctata, L'Herit	E
regia, L'Herit	?
undulata, Ait.	A—E

**691 Scilla, Linn.**

Adlami, Paker	?
Cooperi, Hk. f	AB
exigua, Baker	C
Gerrardi, Baker	E
Kraussii, Baker	A—C
lanceifolia, Baker	AB
linearifolia, Baker	B
natalensis, Planch.	?
"    var. sordida, Baker	?
rigidifolia, Kth.	
var. nervosa, Baker	AB
saturata, Baker	A—C
sp. (=J. M. Wood, 630)	B

**692 Ornithogalum, Linn.**

capitatum, Hk. f	B
Dregeanum, Kth.	B
Eckloni, Sch.	AB
natalense, Baker	E
Zeyheri, Baker	E
sp. (=J. M. Wood, 1973)	B

**693 Androcymbium, Willd.**

sp. (=J. M. Wood, 1973)	B
-------------------------	---

**694 Wurmbea, Thb.**

Kraussii, Baker	?
-----------------	---

**695 Anguillaria, R. Br.**

Bergii? (=J. Sanderson, F 25) ?	
---------------------------------	--

**696 Gloriosa, Ldl.**

virescens, Ldl.	A
-----------------	---

**697 Sandersonia, Hook**

aurantiaca, Hook.	A—D
-------------------	-----

**698 Littonia, Hook**

modesta, Hook.	A—D
----------------	-----

**Xyrideæ.****699 Xyris, Linn.**

capensis, Thb.	A—D
----------------	-----

**Commelinaceæ.****700 Commelina, Linn.**

africana, Linn.	C
benghalensis, Linn.	B
karoocia, C. B. Clarke	B
"    var. Barberiae, C. B. Clarke	D
Livingstonei, C. B. Clarke	B
madagascarica, C. B. Clarke	B

**701 Aneilema, R. Br.**

Dregeanum, C. B. Clarke	B
equinoctiale, Kunth	B
sinicum, Ldl.	AZ

**702 Coleotrype, C. B. Clarke**

natalensis, C. B. Clarke	AB
--------------------------	----



**703 Cyanotis, Don.**  
nodiflora, Kunth. A—E

**704 Floscopa, Loureiro**  
glomerata, Hassk. AB

### Flagellariæ.

**705 Flagellaria, Linn.**  
indica, Linn. AB

### Juncaceæ.

**706 Juncus, Linn.**  
capensis, Linn. B  
effusus, Linn. E  
maritimus, Lam. A  
punctorius, Linn. B

**707 Prionium, E. M.**  
palmita, E. M. A

### Palmae.

**708 Phœnix, Linn.**  
reclinata, Jacq. AB

**709 Hyphæne, Gaertn.**  
crinita, Gaertn. AZ

### Typhaceæ.

**710 Typha, Linn.**  
sp. (=J. M. Wood, 1378) A

### Aroideæ.

**711 Pistia, Linn.**  
stratiotes, Linn. A

**712 Stylochiton, Leprieur**  
natalense, Schott. AB

**713 Richardia, Kunth**  
africana, Kth. A—E  
albomaculata \* B  
melanoleuca, Hk. f. B  
Rehmanni, Engl. DE  
" var. E

### Naiadaceæ.

**714 Triglochin, Linn.**  
bulbosum, Linn. B  
laxiflora, Guss. A

**715 Aponogeton, Thb.**  
natalense, Oliv. D  
spathaceum, E. M. A—E

**716 Potamogeton, Linn.**  
crispus, Linn. B  
javanicus, Hassk. C  
natans, Linn. A  
obtusiflorus, Mert & Koch A  
pusillus, Linn. A

### Eriocaulæ.

**717 Eriocaulon, Linn.**  
sp. (=J. M. Wood, 1427,  
3053) AB

### Restiaceæ.

**718 Leptocarpus, R. Br.**  
paniculatus, Mast. B

### Cyperaceæ.

**719 Cyperus, Linn.**  
abyssinicus, Hochst. ?  
aequalis, Vahl. AB  
alobstriatus, Schrad. AB  
atrontens, Hochst. ?  
blandus, Kth. ?  
congestus, Vahl. ?  
cylindrostachys ?  
denudatus, Linn. f., var. B  
difformis, Linn. A  
distans, Linn. ?  
esculentus, Linn. ?  
fastigiatus, Rottb. A  
flabelliformis, Rottb. A  
ingratus, Kunth. ?  
Kraussii, Baeckeler ?  
laevigatus, Linn. A  
lanceus, Thb. A  
latifolius, Poiret. ?  
marginatus, Thb. ?  
micans, Kunth. ?  
Mundtii, Nees. B  
natalensis, Hochst. A—E  
obtusiflorus, Vahl. ?  
" var. flavissimus ?  
polystachyus, Vahl. ?  
radiatus, ? Schrad. ?  
retusus, Nees. AB  
rotundus, ? Linn. ?  
sexangularis, Nees. ?  
sphaerospermus, Schrad. ?  
vestitus, Hochst. A  
sp. (=J. M. Wood, 1365) E  
sp. (= " 4093) A  
sp. (= " 4098) A  
sp. (= " 4004) A  
sp. (Rev. J. Buchanan, 99) ?  
sp. ( " 113) ?

**720 Kyllinga, Rottb.**

alata, Nees.	A
aurata, Nees.	AB
cylindrica, ? Nees.	?
elator, Kunth.	Z
melanosperma, Nees.	A

**721 Eleocharis, R. Br.**

limosa, Schult.	?
striata, ? Hochst.	A

**722 Fimbristylis, Vahl.**

complanata, Link.	A
diphylla, Vahl.	?
exilis, R. & S.	A
ferruginea, Vahl.	?
prolifer, Rottb.	?

**723 Scirpus, Linn.**

arenarius, Boeckeler	B
expallescens, Boeckeler	B
paludicola, Kth.	?
prolifer, Rottb.	AB
pterolepis, Kunth.	A
rivularis, Boeckeler	B
Zeyheri, Boeckeler	A
sp. ( <i>Isolepis fluitans</i> , R. Br.)	?
sp. (=Rev. J. Buchanan, 86)	?
sp. (=J. M. Wood, 1352)	B
sp. (= " " 1575)	B
sp. (= " " 1963)	A

**724 Ficinia, Schrad.**

bulbosa, Nees	?
laciniata, Nees.	A
sp. (=J. M. Wood, 1939)	B

**725 Fuirena, Rottb.**

glabra, Eckl.	C
gracilis, Kth.	?
pubescens, Desf.	B

**726 Lipocarpa, R. Br.**

argentea, R. Br.	AB
------------------	----

**727 Ascolepis, Nees.**

capensis, Ridl.	AB
-----------------	----

**728 Rhynchospora, Vahl.**

aurea, Vahl.	A
sp. (=J. M. Wood, 1596)	B

**729 Scleria, Berg.**

angusta, Nees.	Z
hirtella, Sw. var.	A
holcoides, Kth.	?
melanocephala, Kth.	B
sp. (=J. M. Wood, 3994)	Z

**730 Carex, Linn.**

pendula, Huds.	?
spartea, Vahl.	?
sp. (=Rev. J. Buchanan, 43)	?
sp. (= " " 137)	?
sp. (= " " 353)	?
sp. (=J. M. Wood, 1190)	B
sp. (= " " 1353)	B
sp. (= " " 4038)	E

**Gramineæ.****731 Paspalum, Linn.**

brevifolium *	?
dissectum *	?
scrobiculatum *	E

**732 Panicum, Linn.**

arenarium, Brot.	?
brizanthum, Hochst.	B
commutatum, Nees.	?
crus-galli, Linn.	A
diagonale, Nees.	?
Dregeanum, Nees.	?
equineum, Nees.	?
erucaeforme, Sibth.	?
excurrens, Trin.	A
gossipinum, Rich.	?
interruptum, Willd.	A
Lindenbergianum, Nees.	B
longiglume, Munro	?
madagascariense, Spreng.	?
maximum, Jacq.	?
Meyerianum, Nees.	?
monodactylum, Nees.	E
natalense, Hochst.	B
phaeocarpum, Nees.	?
proliferum, Lam.	?
sanguinale, Linn.	?
semialatum, R. Br.	B
unguiculatum, Trin.	?
Zeyheri, Nees.	?
sp. (=Tricholaena rosea, Nees.)	AB
sp. (= " " tousa, Nees.)	?

**733 Oplismenus, Beauv.**

africanus, Bauer	B
crus-galli, Bauer	?

**734 Setaria, Beauv.**

dasyura, Willd.	?
glauca, Beauv.	D
imberbis, R. & S.	?
penicillata, Nees.	?
verticillata, Bauer	?
viridis ?	?

**735 Pennisetum, Persoon**

macroourum, Trin.	?
sp. (=Gymnothrix glabra)	?
sp. (= " " uniseta)	?

<b>736 Stenotaphrum, Trin.</b>	
complanatum, Schr.	E
<b>737 Olyra, Linn.</b>	
latifolia, Linn.	Z
<b>738 Potamophila, R. Br.</b>	
sp. (=Maltebrunia prehen- silis)	B
<b>739 Leersia, Sw.</b>	
hexandra, Sw.	?
<b>740 Arundinella, Raddi.</b>	
nepalensis, Trin.	?
rigida, Nees.	?
<b>741 Melinis, Beauv.</b>	
minutiflora, P. B.	?
<b>742 Tragus, Hall</b>	
occidentalis, Nees.	D
sp. (=Lappago racemosa)	?
<b>743 Perotis, Ait.</b>	
latifolia, Ait.	?
<b>744 Imperata, Cyr.</b>	
arundinacea, Cyr.	A
<b>745 Miscanthus, Anders.</b>	
capensis, Anders.	?
<b>746 Saccharum, Linn.</b>	
sp. (=Eriochrysis pallida)	?
<b>747 Erianthus, Mich.</b>	
capensis, Nees.	?
<b>748 Spodiopogon, Trin.</b>	
arcuatus, Nees.	?
<b>749 Pollinia, Trin.</b>	
nuda, Trin.	?
villosa, Spreng.	B
<b>750 Elionurus, Humb. &amp; Bon.</b>	
argenteus, Nees.	?
<b>751 Hemarthria, R. Br.</b>	
compressa, R. Br.	?
<b>752 Trachypogon, Nees.</b>	
capensis, Nees.	B
<b>753 Heteropogon, Pers.</b>	
hirtus (=Andropogon hirtus Linn.)	?

<b>754 Andropogon, Linn.</b>	
amplectens, Nees.	?
appendiculatus, Nees.	?
ceresiæformis, Nees.	?
cymbarius, Linn.	AB
eucomus, Nees.	A
filifolius, Nees.	?
finitimus, Hochst.	Z
intermedius, R. Br.	?
lepidus, Nees.	?
Nardus, Linn.	AB
pertusus, Willd.	?
schoenanthus, Linn.	?
Schimperi, Hochst.	?
simplex, Munro	?
sp. (=Schizachrium zeylani- cum)	?
<b>755 Sorghum, Persoon</b>	
halepense, Pers.	B
vulgare, Pers.	A
<b>756 Anthistiria, Linn. f.</b>	
imberbis, Retz	?
<b>757 Ehrharta, Thb.</b>	
panicea, Sw.	?
<b>758 Phalaris, Linn.</b>	
arundinacea, Linn.	E
<b>759 Aristida, Linn.</b>	
adscensionis, Linn.	?
bipartita, Steud.	?
barbicollis, Trin.	?
curvata, Trin.	?
<b>760 Stipa, Linn.</b>	
sp. (=Lasiagrostis elongata, Nees)	?
<b>761 Sporobolus, R. Br.</b>	
capensis	?
var. pyramidalis	?
centrifugus, Nees.	B
fimbriatus, Nees.	?
<b>762 Agrostis, Linn.</b>	
antartica, ? Hook	?
lachnantha, Nees	?
Neesii, Trin.	?
<b>763 Trisetum, Persoon</b>	
lachnanthum, Hochst.	?
longifolium, Nees	?
<b>764 Tristachya, Nees.</b>	
leucothrix, Nees	?
<b>765 Trichopteryx, Nees.</b>	
Dregeana, Nees	?
sp. (Londetia arundinacea)	?

<b>766</b> <i>Danthonia</i> , D. C.		
propinqua, Nees	?	
sp. (=J. M. Wood, 3995)	Z	
<b>767</b> <i>Microchloa</i> , R. Br.		
Buchanani, Munro	?	
caffra, Nees	Z	
<b>768</b> <i>Cynodon</i> , Persoon		
dactylon, Persoon	A	
<b>769</b> <i>Harpechloa</i> , Kunth.		
capensis, Kth.	?	
<b>770</b> <i>Ctenium</i> , Panz.		
concinnum, Nees	?	
<b>771</b> <i>Chloris</i> , Swartz		
compressa, D. C.	AB	
Gayana, Kth.	?	
petræa, Thb.	E	
radiata, Sw.	?	
„ var. pycnothrix	B	
<b>772</b> <i>Eleusine</i> , Gaertn.		
coracana, Gaertn.	Z	
indica, Gaertn.	?	
<b>773</b> <i>Leptochloa</i> , Beauv.		
grandiglumis, Nees	?	
integra, Munro	?	
<b>774</b> <i>Triodia</i> , R. Br.		
sp. (=Urolepis alopecuroides) ?		
<b>775</b> <i>Diplachne</i> , Beauv.		
Buchanani, Munro	?	
eleusine, Nees	?	
sp. (=J. M. Wood, 1910)	B	
<b>776</b> <i>Phragmites</i> , Trin.		
communis, Trin.	AB	
<b>777</b> <i>Fingerhuthia</i> , Nees.		
sesleriaeformis, Nees	D	
<b>778</b> <i>Koeleria</i> , Persoon		
cristata, Pers.	?	
Gerrardi, Munro	B	
<b>779</b> <i>Eragrostis</i> , Beauv.		
aspera, Nees	?	
brizoides, Nees	B	
chalcantha, Trin.	?	
chloromelas, Steud.	?	
ciliaris, Link	?	
curvula, Nees	?	
elongata, Jacq.	?	
interrupta, Beauv ?	?	
lappula, Nees	?	
macilenta, Stend.	?	
minor, Host	?	
superba, Peyr	?	
Thunbergiana, Steud.	?	
sp. (=J. M. Wood, 3587)	E	
<b>780</b> <i>Melica</i>		
dendroides, Lehm.	A	
racemosa, Thb.	E	
<b>781</b> <i>Poa</i> , Linn.		
abyssinica ?	?	
<b>782</b> <i>Festuca</i> , Linn.		
costata, Nees	?	
<b>783</b> <i>Bromus</i> , Linn.		
asper, Linn.	?	
sp. ( <i>Ceratochloa uniloides</i> )	D	
<b>784</b> <i>Brachypodium</i> , Beauv.		
flexum, Nees	?	
<b>785</b> <i>Arundinaria</i> , Michaux		
tessellata, Munro	E	
<b>Filices.</b>		
<b>786</b> <i>Gleichenia</i> , Sm.		
dichotoma, Willd.	C	
polypodioides, Sm.	BC	
umbraculifera, Moore	C—E	
<b>787</b> <i>Cyathea</i> , Sm.		
Dregei, Kze.	A—E	
<b>788</b> <i>Hemitelia</i> , Br.		
capensis, R. Br.	C	
<b>789</b> <i>Woodsia</i> , Br.		
Burgessiana, Ger.	DE	
<b>790</b> <i>Hymenophyllum</i> , Hook.		
gracile, Bory.	?	
rarum, R. Br.	?	
tunbridgense, Sm.	CD	
<b>791</b> <i>Trichomanes</i> , Sm.		
muscoides, Sw.	Z	
pusillum, Sw.		
var. quercifolium, Hook	CD	
pyxidiferum, Linn.	B—E	
rigidum, Sw.	B—D	
<b>792</b> <i>Davallia</i> , Sm.		
nitidula, Kze.	AB	
spelunca, Baker	AB	
thecifera, H. B. K.	C—E	
<b>793</b> <i>Cystopteris</i> , Bernh.		
fragilis, Bernh.	DE	
<b>794</b> <i>Lindsaya</i> , Dryand		
ensifolia, Sw.	AZ	
<b>795</b> <i>Adiantum</i> , Linn.		
aethiopicum, Linn.	C—E	
capillus-veneris, Linn.	A—C	
<b>796</b> <i>Lonchitis</i> , Linn.		
pubescens, Willd.	BC	

**797 Hypolepis, Bernh.**

anthriscifolia, Pr. AB  
Bergiana, Hk. BC

**798 Cheilanthes, Sw.**

capensis, Sw. E  
hirta, Sw. A-E  
multifida, Sw. A-D  
parviloba, Sw. A-D

**799 Pellæa, Link.**

Burkeana, Baker BC  
calomelanos, Link B-E  
consobrina, Hk. D  
geraniifolia, Fée A-C  
hastata, Link A-E  
" var. macrophylla A-E  
" " glauca D-E  
involuta, Baker BC  
pectiniformis, Baker BC

**800 Pteris, Linn.**

aquilina, Linn. A-E  
Buchanani, Baker B-D  
cretica, Linn. B-E  
flabellata, Thb. A-E  
incisa, Thb. C  
longifolia, Linn. A-C  
quadriaurita, Retz AB

**801 Lomaria, Willd.**

attenuata, Willd. A-E  
Boryana, Willd. C  
inflexa, Kze. DE  
procera, Spreng. C  
punctulata, Kze. A-E  
" var. Atherstonii B  
" " intermedia ?  
" " Krebsii BC

**802 Blechnum, Linn.**

australe, Linn. B-E

**803 Asplenium, Linn.**

Adiantum nigrum, Linn. CD  
anisophyllum, Kze. CD  
aspidioides, Schl. A-C  
brachypterum, Kze. CD  
cuneatum, Lam. A-D  
" var. splendens A-D  
ebeneum, Ait. DE  
erectum Bory. A-C  
" var. brachyotus A-C  
" " erectum C-E  
" " lobatum C-E  
" " lunulatum A-C  
" " Zeyheri B-C  
filix fœmina, Bernh. DE  
furcatum, Thb. C-E  
" var. tripinnatum C-E  
gemmiferum, Schr. BC  
" var. discolor ?  
" " flexuosum CD

Kraussii, Moore DE  
monanthemum, Linn. DE  
prionitis, Kze. AB  
protensum, Schr. C-E  
rutaefolium, Kze. A-D  
Sandersoni, Hook AB  
Schimperii, A. Br. DE  
serra, Linn. & F.  
" var. natalense, Baker B  
solidum, Kze. B  
Thunbergii, Kze. C  
trichomanes, Linn. DE  
varians, Hk. & Gr. C-E

**804 Didymochlaena, Desv.**

lunulata, Desv. BC

**805 Aspidium, R. Br.**

aculeatum, Sw. DE  
aristatum, Sw. CD  
capense, Willd. BC  
falcatum, Sw. DE  
luctuosum, Kze. D  
pungens, Kaulf. C-E

**806 Nephrodium, Rich.**

albo-punctatum, Desv. B  
athamanticum, Hk. B-E  
Bergianum, Baker A-C  
Buchanani, Baker B-D  
catopteron, Hk. B-D  
filix mas, Rich.  
" var. elongatum ?  
inoequale, Hk. A-E  
Mauritianum, Fce. A  
molle, Desv. AB  
thelypteris, Desv. A-E  
unitum, R. Br.  
" var. propinquum, R. Br. A-C

**807 Nephrolepis, Schott.**

acuta, Pr. A

**808 Oleandra, Cav.**

articulata, Pr. A-C

**809 Polypodium, Linn.**

africanum, Mett. BC  
incanum, Sw. B-E  
irioides, Lam. A  
lanceolatum, Linn. C-E  
" var. sinuatum, Sim. CD  
lineare, Thb.  
" var. Schrader, Mett. A-E  
lycopodioides, Linn. AB  
" var. McKenii, Baker A  
normale, Don. C-D  
obtusilobum, Desv. BC  
phymatodes, Linn. A  
proliferum, Pr. A  
unitum, Hook C  
vulgare, Linn. D

**810 Notochloëna, R. Br.**

- Buchanani, Baker C  
 Eckloniana, Kze. DE  
 inæqualis, Kze. CD

**811 Gymnogramma, Desv.**

- argentea, Mett. CD  
 „ var. aurea, Desv. C  
 cordata, Schl. C-E  
 lanceolata, Hk. C-E  
 Totta, Schl. CD

**812 Vittaria, Sm.**

- lineata, Sw. A-E

**813 Acrostichum, Linn.**

- Aubertii, Desv. CD  
 aureum, Linn. A  
 conforme, Sm. B-D  
 hybridum, Bory. D-E  
 latifolium, Sw. BC  
 spatulatum, Bory. DE  
 tenuifolium, Baker AB  
 viscosum, Sw. B-D

**814 Osmunda, Linn.**

- regalis, Linn. A-E

**815 Todea, Willd.**

- barbara, Moore A-C

**816 Schizæa, Smith**

- pectinata, Sm. AB  
 tenella, Kaulf. A

**817 Anemia, Sw.**

- Dregeana, Kze. A-C

**818 Mohria, Sw.**

- caffrorum, Desv. A-E

**819 Marattia, Sm.**

- fraxinea, Sw. A-C

**820 Ophioglossum, Linn.**

- capense, Schl. A  
 reticulatum, Linn. A-D

**Equisetaceæ.****821 Equisetum, Linn.**

- elongatum, W. B  
 ramosissimum, Desf. AB

**Lycopodiaceæ.****822 Lycopodium, Linn.**

- carolinianum, Linn. AB  
 cernuum, Linn. AB  
 clavatum, Linn. A-C  
 gnidioides, Linn. B-D  
 saururus, Lam. E  
 verticillatum, Linn. BC

**823 Psilotum, Sw.**

- triquetrum, Sw. A

**Selaginellaceæ.****824 Selaginella, Spring**

- depressa, A. Braun ?  
 Kraussiana, A. Braun A-E  
 McKenii, Baker ?  
 pumila, Spring ?  
 rupestris, Sprengel BC

**825 Isoetes, Linn.**

- natalensis, Baker D

**Rhizocarpeæ.****826 Azolla, Lam.**

- pinnata, R. Br. A

**827 Marsilea, Linn.**

- capensis, A. Br. A-C  
 macrocarpa, Presl. ?

Natural Orders	...	...	...	...	...	...	129
Genera	...	...	...	...	...	...	828
Named Species	...	...	...	...	...	2216	
Unnamed Species and Varieties	...	...	...	...	...	391	2607

# INDEX TO GENERIC NAMES.

Aberia - - -	36	Antholyza - - -	656	Brachystelma	421
Abrus - - -	154	Anthospermum - - -	276	Brassica - - -	21
Abutilon - - -	56	Antidesma - - -	585	Bridelia - - -	582
Acacia - - -	177	Apium - - -	249	Bromus - - -	783
Acalypha - - -	592	Apodolirion - - -	660	Brownleea - - -	635
Achyranthes - - -	548	Apodytes - - -	93	Brugueria - - -	108
Achyrocline - - -	306	Aponogeton - - -	715	Brunsvigia - - -	662
Acidanthera - - -	652	Arabis - - -	17	Buchenrœdera - - -	131
Acokanthera - - -	390	Arachis - - -	148	Buchnera - - -	479
Acridocarpus - - -	72	Argemone - - -	14	Buddleia - - -	429
Acrostichum - - -	813	Argyrolobium - - -	135	Bulbine - - -	677
Adenocline - - -	591	Aristea - - -	645	Bulbophyllum - - -	617
Adenostemma - - -	288	Aristida - - -	759	Buphane - - -	667
Adhatoda - - -	504	Artabotrys - - -	7	Bupleurum - - -	246
Adiantum - - -	795	Artemisia - - -	336	Burchellia - - -	261
Aeolanthus - - -	524	Arthrosolen - - -	567	Buttonia - - -	483
Aerua - - -	547	Arundinaria - - -	785	Cadaba - - -	27
Aeschynomene - - -	146	Arundinella - - -	740	Calanthe - - -	618
Agapanthus - - -	682	Asclepias - - -	404	Callilepis - - -	318
Ageratum - - -	289	Ascolepis - - -	727	Callitris - - -	612
Agrimonia - - -	183	Aspalathus - - -	130	Calodendron - - -	80
Agrostis - - -	762	Asparagus - - -	671	Calophanes - - -	493
Aizoon - - -	236	Aspidium - - -	805	Calpurnia - - -	168
Ajuga - - -	535	Asplenium - - -	803	Calystegia - - -	444
Alberta - - -	269	Aster - - -	292	Canavalia - - -	159
Albizzia - - -	178	Asystasia - - -	500	Cannabis - - -	602
Albua - - -	687	Athanasia - - -	329	Capparis - - -	28
Alchemilla - - -	181	Athrixia - - -	313	Cardamine - - -	18
Alectra - - -	477	Australina - - -	608	Cardiospermum - - -	111
Alepidea - - -	243	Avicennia - - -	517	Carex - - -	730
Aloe - - -	675	Azolla - - -	826	Caralluma - - -	423
Alsodeia - - -	30	Baphia - - -	167	Carissa - - -	389
Alternanthera - - -	549	Barleria - - -	498	Carum - - -	250
Alysicarpus - - -	152	Barosma - - -	81	Cassia - - -	171
Amaranthus - - -	542	Barringtonia - - -	204	Cassine - - -	98
Amphidoxa - - -	305	Bauhinia - - -	172	Cassinea - - -	310
Anagallis - - -	373	Begonia - - -	233	Cassinopsis - - -	95
Anastrabe - - -	464	Behnia - - -	672	Cassipourea - - -	200
Anchusa - - -	438	Belmontia - - -	432	Cassytha - - -	563
Androcymbium - - -	693	Berkheya - - -	355	Cathastrum - - -	97
Andropogon - - -	754	Bersama - - -	118	Celastrus - - -	99
Aneleima - - -	701	Bidens - - -	327	Celosia - - -	540
Anemia - - -	817	Blechnum - - -	802	Celtis - - -	599
Anemone - - -	3	Blepharis - - -	496	Cenia - - -	333
Anesorhiza - - -	253	Blumea - - -	301	Cephalandra - - -	227
Angræcum - - -	623	Boerhaavia - - -	537	Cephalaria - - -	284
Anguillaria - - -	695	Bojeria - - -	314	Cephalanthus - - -	259
Anisochaeta - - -	358	Bonnaya - - -	473	Cerastium - - -	44
Anisotome - - -	422	Bouchea - - -	513	Ceratophyllum - - -	611
Anoiganthus - - -	659	Boweia - - -	678	Ceratosicyos - - -	220
Anona - - -	9	Bowkeria - - -	465	Ceratotheca - - -	491
Ansellia - - -	620	Brachycorythis - - -	636	Ceropegia - - -	418
Anthericum - - -	680	Brachylæna - - -	299	Chænostoma - - -	468
Anthistiria - - -	756	Brachypodium - - -	784	Chaetachme - - -	601

Cheilanthes - -	798	Cynodon - -	768	Eriocaulon - -	717
Chenolea - -	552	Cynoglossum - -	437	Eriosema - -	164
Chenopodium - -	551	Cynorchis - -	632	Eriospermum - -	679
Chilianthus - -	428	Cyperus - -	719	Erythrina - -	158
Chironia - -	433	Cyphia - -	367	Erythroxylon - -	71
Chloris - -	771	Cyrtanthus - -	664	Ethulia - -	286
Chlorocodon - -	399	Curtopera - -	622	Euclea - -	383
Chlorophytum - -	681	Cystopteris - -	793	Eucomis - -	690
Choristylis - -	185	Dais - -	566	Eugenia - -	203
Chrysanthemum - -	330	Dalbergia - -	166	Eulophia - -	619
Chrysocoma - -	298	Dalechampia - -	595	Euphorbia - -	579
Chrysophyllum - -	378	Danthonia - -	766	Euryops - -	343
Cineraria - -	339	Datura - -	456	Evolvulus - -	447
Cissampelos - -	11	Davallia - -	792	Excoecaria - -	596
Citrullus - -	226	Denekia - -	303	Fadogia - -	272
Claoxylon - -	589	Dermatobotrys - -	461	Falkia - -	448
Clausena - -	83	Desmodium - -	150	Fanninia - -	408
Clematis - -	1	Dianthus - -	42	Faurea - -	565
Cleome - -	24	Diaseia - -	457	Felicia - -	293
Clerodendron - -	516	Dichælia - -	420	Festuca - -	782
Cliffortia - -	184	Dichilus - -	133	Ficinia - -	724
Clivia - -	665	Dichondra - -	449	Ficus - -	603
Cluytia - -	588	Dichrostachys - -	176	Fimbristylis - -	722
Cnestis - -	125	Dicliptera - -	506	Fingerhuthia - -	777
Cola - -	60	Diclis - -	459	Flagellaria - -	705
Coleotrype - -	702	Dicoma - -	357	Flemingia - -	165
Coleus - -	523	Didymochlæna - -	804	Fleurya - -	605
Colpoon - -	577	Dierama - -	648	Floscopa - -	704
Combretum - -	201	Dimorphotheca - -	346	Fugosia - -	59
Commelina - -	700	Dioscorea - -	669	Fuirena - -	725
Commiphora - -	87	Dipcadi - -	685	Fumaria - -	15
Conium - -	245	Diplachne - -	775	Galium - -	282
Convulvulus - -	446	Disa - -	634	Galopina - -	275
Conyza - -	297	Disperis - -	639	Galtonia - -	686
Corchorus - -	69	Dissotis - -	205	Gamolepis - -	344
Cordia - -	435	Dodonæa - -	115	Garcinia - -	53
Cordylogyne - -	407	Dolichos - -	162	Gardenia - -	264
Corrigiola - -	539	Dombeya - -	61	Garuleum - -	291
Corycium - -	640	Dovyalis - -	35	Gasteria - -	674
Corydalis - -	16	Dracæna - -	676	Gazania - -	354
Cotula - -	332	Dregea - -	415	Geranium - -	76
Cotyledon - -	190	Drimia - -	684	Geigeria - -	317
Crabbea - -	499	Drimiopsis - -	689	Gelonium - -	598
Crassula - -	188	Droguetia - -	607	Genus nov. - -	210
Crepis - -	361	Drosera - -	191	" " - -	232
Crinum - -	661	Drymaria - -	47	Gerbera - -	359
Crocoshia - -	653	Dumasia - -	155	Gerrardanthus - -	231
Crotalaria - -	134	Eclipta - -	323	Gerrardiana - -	217
Croton - -	587	Ectadiopsis - -	396	Geum - -	180
Cryptocarya - -	561	Ehretia - -	436	Gladiolus - -	655
Cryptolepis - -	395	Ehrharta - -	757	Gleichenia - -	786
Cryptostemma - -	352	Ekebergia - -	90	Gloriosa - -	696
Ctenium - -	770	Elæodendron - -	102	Glycine - -	156
Cucumis - -	225	Elephantrhiza - -	175	Gnaphalium - -	307
Cunonia - -	186	Eleocharis - -	721	Gnidia - -	570
Curculigo - -	658	Eleusine - -	772	Gomphocarpus - -	403
Curtisia - -	258	Elionurus - -	750	Gomphostigma - -	426
Cuscuta - -	450	Encephalartos - -	614	Gomphrena - -	550
Cussonia - -	257	Entada - -	174	Graderia - -	485
Cyanotis - -	703	Epilobium - -	211	Grewia - -	66
Cyathea - -	787	Equisetum - -	821	Greyia - -	119
Cyathula - -	544	Eragrostis - -	779	Gunnera - -	195
Cyenum - -	482	Erianthus - -	747	Gymnema - -	412
Cyclostemon - -	584	Erica - -	371	Gymnogramme - -	811
Cynanchium - -	410	Erigeron - -	294	Gynura - -	338



Habenaria - - -	631	Labourdonnasia - - -	380	Mentha - - -	527
Haemanthus - - -	666	Lactuca - - -	363	Microchloa - - -	767
Halleria - - -	462	Laggera - - -	302	Micraster - - -	416
Haplocarpha - - -	351	Lantana - - -	511	Microglossa - - -	295
Harpechloa - - -	769	Lapeyrousea - - -	650	Micromeria - - -	528
Harveya - - -	478	Lasiocoryph - - -	532	Mikania - - -	290
Hebenstretia - - -	509	Lasiosiphon - - -	571	Millettia - - -	142
Helichrysum - - -	308	Lebeckia - - -	129	Mimulus - - -	471
Helinus - - -	109	Leersia - - -	739	Mimusops - - -	381
Heliophila - - -	20	Leidesia - - -	590	Miscanthus - - -	745
Hemarthria - - -	751	Leonotis - - -	533	Mitracarpum - - -	279
Hemitelia - - -	788	Leontonyx - - -	309	Mohria - - -	818
Hermannia - - -	63	Lepidium - - -	23	Mollugo - - -	238
Hermbstœdia - - -	541	Leptocarpus - - -	718	Momordica - - -	224
Herminium - - -	627	Leptochloa - - -	773	Monsonia - - -	75
Hesperantha - - -	647	Lessertia - - -	145	Moræa - - -	644
Heteromorpha - - -	247	Leucas - - -	531	Moschosma - - -	519
Heteropogon - - -	753	Leucosidea - - -	182	Mukia - - -	228
Heteropyxis - - -	209	Lichtensteinia - - -	248	Muraltia - - -	41
Hewittea - - -	443	Lightfootia - - -	368	Myosotis - - -	439
Hibiscus - - -	58	Limeum - - -	241	Myrica - - -	609
Hieracium - - -	360	Limnanthemum - - -	434	Myriophyllum - - -	196
Hippobromus - - -	113	Limosella - - -	474	Myrsine - - -	376
Hoffmanseggia - - -	170	Lindsaya - - -	794	Mystacidium - - -	624
Holothrix - - -	630	Linum - - -	70	Nemesia - - -	458
Homalium - - -	216	Liparis - - -	616	Nephrodium - - -	806
Huernia - - -	425	Lipocarpha - - -	726	Nephrolepis - - -	807
Huttonia - - -	629	Lippia - - -	512	Nerine - - -	663
Hydrocotyle - - -	242	Lithospermum - - -	440	Nesæa - - -	208
Hydrophylax - - -	277	Littonia - - -	698	Nicandra - - -	454
Hydrostachys - - -	558	Lobelia - - -	366	Nidorella - - -	296
Hymenophyllum - - -	790	Lomaria - - -	801	Niebuhria - - -	25
Hypericum - - -	52	Lonchitis - - -	796	Noltea - - -	108
Hyphæne - - -	709	Lopholæna - - -	337	Nothochlæna - - -	810
Hypochæris - - -	362	Loranthus - - -	573	Notobuxus - - -	581
Hypoestes - - -	508	Lotononis - - -	128	Notonia - - -	340
Hypolepis - - -	797	Lotus - - -	138	Nuxia - - -	427
Hypoxis - - -	657	Loxostylis - - -	121	Nymphæa - - -	12
Hyptis - - -	526	Ludwiggia - - -	213	Ochna - - -	85
Ilex - - -	96	Luffa - - -	223	Ocimum - - -	518
Ilysanthes - - -	472	Lycium - - -	455	Ocotea - - -	562
Impatiens - - -	79	Lycopodium - - -	822	Odina - - -	123
Imperata - - -	744	Lyperia - - -	469	Oenothera - - -	214
Indigofera - - -	140	Lythrum - - -	207	Oldenlandia - - -	260
Ionidium - - -	29	Maba - - -	384	Olea - - -	388
Ipomœa - - -	442	Macaranga - - -	593	Oleandra - - -	808
Isoetes - - -	825	Mærua - - -	26	Oligocarpus - - -	348
Isoglossa - - -	503	Mæsa - - -	375	Olinia - - -	206
Ixia - - -	649	Mahernia - - -	64	Olyra - - -	737
Jacquemontia - - -	445	Malvastrum - - -	54	Oncoba - - -	31
Jasminium - - -	385	Manulea - - -	470	Ophiocaulon - - -	219
Jatropha - - -	586	Marattia - - -	819	Ophioglossum - - -	820
Juncus - - -	706	Marsilea - - -	827	Oplismenus - - -	733
Jussiaea - - -	212	Matricaria - - -	331	Orchipeda - - -	392
Justicia - - -	502	Medicago - - -	136	Ornithogalum - - -	692
Kæmpferia - - -	641	Melanthera - - -	325	Orthosiphon - - -	520
Kalanchoe - - -	189	Melasma - - -	476	Orygia - - -	237
Kigelia - - -	489	Melhannia - - -	62	Osmunda - - -	814
Kiggelaria - - -	38	Melia - - -	89	Osteospermum - - -	347
Kleinia - - -	342	Melanthus - - -	117	Osyridocarpus - - -	576
Kniphofia - - -	673	Melica - - -	780	Osyris - - -	578
Knowltonia - - -	4	Melinis - - -	741	Othonna - - -	345
Kœleria - - -	778	Melolobium - - -	132	Oxalis - - -	78
Kraussia - - -	166	Menodora - - -	386	Oxyanthus - - -	265
Kyllinga - - -	720	Mesembryanthemum - - -	235	Oxygonum - - -	555

Panax - - -	256	Psammotropha - -	240	Schrebera - - -	387
Panicum - - -	732	Pseudarthria - -	151	Scilla - - -	691
Papaver - - -	13	Psoralea - - -	139	Scirpus - - -	723
Parthenium - -	319	Psilotrichum - -	546	Scleria - - -	729
Passerina - - -	568	Psilotum - - -	823	Sclerocarya - -	124
Paspalum - - -	731	Psychotria - - -	274	Sclerochiton - -	497
Pavetta - - -	273	Pteris - - -	800	Scolopia - - -	33
Pavonia - - -	57	Pterocelastrus -	100	Scutia - - -	106
Peddicca - - -	572	Pteroxylon - - -	116	Sebæa - - -	431
Pelargonium - -	77	Pterygodium - - -	638	Secamone - - -	400
Pellæa - - -	799	Pulicaria - - -	316	Sclaginella - - -	824
Pennisetum - - -	735	Pupalia - - -	545	Selago - - -	510
Pentania - - -	268	Putterlickia - - -	101	Selinum - - -	255
Pentarrhinum -	406	Pycnostachys - -	525	Senebiera - - -	22
Pentopetia - - -	397	Pyrenacantha - -	94	Senecio - - -	341
Pentzia - - -	335	Quisqualis - - -	202	Sericocoma - - -	543
Peperomia - - -	560	Rafnia - - -	127	Serpicula - - -	194
Peponia - - -	222	Randia - - -	263	Sesamum - - -	490
Pergularia - - -	414	Ranunculus - - -	5	Sesbania - - -	143
Peristrophe - -	507	Raphionacme - - -	398	Setaria - - -	734
Perotis - - -	743	Raspailia - - -	193	Sida - - -	55
Petalactella - -	312	Rauwolfia - - -	391	Sideroxylon - - -	379
Peucedanum - - -	254	Rawsonia - - -	32	Siegersbeckia - -	322
Phœnix - - -	708	Rhamnus - - -	105	Silene - - -	43
Phalaris - - -	758	Rhamphicarpa - -	401	Sisymbrium - - -	19
Pharnaceum - - -	239	Rhinacanthus - - -	505	Sisyranthus - - -	417
Phayloopsis - - -	495	Rhipsalis - - -	234	Sium - - -	251
Phragmitis - - -	776	Rhizophora - - -	197	Smilax - - -	670
Phygelius - - -	460	Rhus - - -	120	Smithia - - -	147
Phylca - - -	107	Rhynhocarpa - - -	230	Smodingium - - -	122
Phyllanthus - - -	583	Rhynchosia - - -	163	Solanum - - -	451
Phyllopodium -	467	Rhynchospora - -	728	Sonchus - - -	364
Physalis - - -	452	Richardia - - -	713	Sophora - - -	169
Physospermum -	329a	Richardsonia - - -	280	Sopubia - - -	484
Phytolacca - - -	554	Ricinus - - -	594	Sorghum - - -	755
Pimpinella - - -	252	Riocreuxia - - -	419	Sparmannia - - -	68
Piper - - -	559	Roella - - -	370	Spergula - - -	46
Pistia - - -	711	Royena - - -	382	Spermacoe - - -	278
Pittosporum - - -	39	Rubia - - -	281	Sphæranthus - - -	304
Plantago - - -	36	Rubus - - -	179	Sphegamnocarpus	73
Platycarpha - - -	356	Ruellia - - -	494	Spilanthes - - -	326
Platylepis - - -	626	Rumex - - -	557	Spodiopogon - - -	748
Plectranthus - -	522	Ruttya - - -	501	Sporobolus - - -	761
Plectronia - - -	270	Saccharum - - -	746	Stachys - - -	530
Plumbago - - -	372	Salacia - - -	103	Stangeria - - -	615
Poa - - -	781	Salicornia - - -	553	Stapelia - - -	424
Podalyria - - -	126	Salix - - -	610	Stellaria - - -	45
Podocarpus - - -	613	Salvia - - -	529	Stenoglottis - - -	628
Pollichia - - -	538	Samara - - -	377	Stenotaphrum - -	736
Pollinia - - -	749	Samolus - - -	374	Stephania - - -	10
Polycarpæa - - -	48	Sandersonia - - -	697	Stipa - - -	760
Polygala - - -	40	Sanicula - - -	244	Stoebe - - -	311
Polygonum - - -	556	Sanseviera - - -	643	Streltizia - - -	642
Polystachya - -	621	Sapindus - - -	114	Streptocarpus - -	487
Polypodium - - -	809	Sarcostemma - - -	411	Striga - - -	480
Popowia - - -	8	Satyrium - - -	633	Strophanthus - - -	394
Portulaca - - -	49	Scabiosa - - -	285	Strychnos - - -	430
Portulacaria - -	50	Scævola - - -	365	Struthiola - - -	569
Potamogeton - - -	716	Schistostephium -	334	Stylochiton - - -	712
Potamoiphila - -	738	Schizca - - -	816	Sutherlandia - - -	144
Printzia - - -	315	Schizochilus - - -	637	Synadenium - - -	580
Priva - - -	514	Schizoglossum - -	402	Syncolostemon - -	521
Pronium - - -	707	Schizostylis - - -	646	Tabærnamontana	393
Protea - - -	564	Schmidelia - - -	112	Talinum - - -	51
Protium - - -	86	Schotia - - -	173	Tarchonanthus - -	300

Tecoma - -	488	Tripteris - -	347	Vincetoxicum - -	409
Teedia - -	463	Trisetum - -	763	Viscum - -	574
Tephrosia - -	141	Tristachya - -	764	Vitis - -	110
Teramnus - -	157	Tritonia - -	654	Vittaria - -	812
Teucrium - -	534	Triumfetta - -	67	Voandzeia - -	161
Thalictrum - -	2	Trochomeria - -	221	Wahlenbergia - -	369
Thesium - -	575	Tryphostemma - -	218	Waltheria - -	65
Thunbergia - -	492	Tulbaghia - -	683	Watsonia - -	651
Tillæa - -	187	Turraea - -	88	Webera - -	262
Toddalia - -	82	Tylophora - -	413	Wedelia - -	324
Todea - -	815	Typha - -	710	Weihea - -	199
Trachypogon - -	752	Tysonia - -	441	Withania - -	453
Tragia - -	597	Urera - -	606	Woodia - -	405
Tragus - -	742	Urginea - -	688	Woodsia - -	789
Trapa - -	215	Ursinia - -	350	Wurmbea - -	694
Trema - -	600	Urtica - -	604	Xanthium - -	320
Tribulus - -	74	Utricularia - -	486	Ximenia - -	92
Tricalysia - -	267	Uvaria - -	6	Xylosma - -	34
Trichilia - -	91	Valeriana - -	283	Xyris - -	699
Trichocladus - -	192	Vangueria - -	271	Xysmalobium - -	401
Trichomanes - -	791	Vellozia - -	668	Zaluzianskya - -	466
Trichopteryx - -	765	Venidium - -	353	Zanthoxylum - -	84
Tridax - -	328	Verbena - -	515	Zehneria - -	229
Trifolium - -	137	Vernonia - -	287	Zeuxine - -	625
Triglochin - -	714	Veronica - -	475	Zinnia - -	321
Trimeria - -	37	Vicia - -	153	Zizyphus - -	104
Triodia - -	774	Vigna - -	160	Zornia - -	149









